



Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs		Lenovo		
e-mail address	Alvin L Carter				
	alcarter@Jenovo.com		at the first terms and the first terms are		
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/				
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Notebook Computer					
Commercial name *	Lenovo 14e Chromebook Gen 3; IP Slim 3 Chrome 14IAN8					
Model number *	82W6,82W7,83BN					
Issue date *	2023-03-06					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	82W6,82W7,83BN	Logo	1
Issue date *	2023-03-06		Lenovo

P1.1* Hazardous substances and preparations P1.1.* Products do comply with current European RoHS Directive. (See legal reference and NOTE B1) P1.2.* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/weel (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference) P3.5* Understand of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc for EU; https://www.lenovo.com/us/en/compliance/eu-doc for EU; https://www.lenovo.com/us/en/compliance/eu-doc for EU; https://www.lenovo.com/us/en/compliance/eu-doc doc design requi	Yes		met
P1.1* Products do comply with current European RoHS Directive. (See legal reference and NOTE B1) P1.2* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chlorofiluorocarbons (CFC), hydrobromofiluorocarbons (HBFC), hydrochlorofiluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/weel (see legal reference). Comment: Maxilimit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2.8* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.2* Batteries or accumulators are readily removable. (See legal reference) Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference) P2.4* Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference) P2.5* When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu/cof for EU; https://www.lenovo.com/us/en/compl		No	n.a.
P1.2* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/weel (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2. Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries or accumulators are readily removable. (See legal reference) P2.4* Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). https://www.lenovo.com/us/en/compliance/uk-doc for UK The product is CE-marked to show conformance with applicable legal requirements (see legal reference). https://www.lenovo.com/us/en/compliance/uk-doc for UK The product complies with the applicabl	\square		
P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobronofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than 0,10% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/weel (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2.8 Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.4* Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference) P2.4* Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference) P2.5* When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference). P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/us/e			
hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/weel (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P2.4* Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference) P2.4* Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc for EU / https://www.lenovo.com/us/en/compliance/eu-doc for EU / https://www.lenovo.com/us/en/compliance/eu-doc for EU / https://www.lenovo.com/us/en/compliance/eu-doc for EU / https://www.lenovo.com/us/en/compliance/eu-doc for UK P3.2* The pr			
terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/weel (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P2.4* Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference) P2.5* When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc for EU; https://www.lenovo.com/us/en/compliance/eu-doc for UK P3.2* The product complies with the applicable Eco design requirements for energy-related products, (see legal reference). Required information is: given in item P15 or added to this document,			
chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/weel (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact):			
(see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact):	e 🔀		
P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2 Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P2.4* Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference) P2.5* When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc for EU; https://www.lenovo.com/us/en/compliance/uk-doc for UK P3.2* The product complies with the applicable Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document,	K 🔀		
P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P2.4* Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference) P2.5* When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference) P3 Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):			
symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P2.4* Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference) P2.5* When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference) P3 Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):			
reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P2.4* Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference) P2.5* When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference) P3 Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):			
P2.4* Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference) P2.5* When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference) P3 Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):	I 🔀		
P2.5* When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference) P3 Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc for EU; https://www.lenovo.com/us/en/compliance/uk-doc for UK P3.2* The product complies with the applicable Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): http://www.lenovo.com/ecodeclaration P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	\square		
user", the related text is present and legible on the external packaging (see legal reference) P3 Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc for EU; https://www.lenovo.com/us/en/compliance/uk-doc for UK P3.2* The product complies with the applicable Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): http://www.lenovo.com/ecodeclaration P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	\boxtimes		
P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc for EU; https://www.lenovo.com/us/en/compliance/uk-doc for UK P3.2* The product complies with the applicable Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): http://www.lenovo.com/ecodeclaration P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and			
The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc for EU; https://www.lenovo.com/us/en/compliance/uk-doc for UK P3.2* The product complies with the applicable Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): http://www.lenovo.com/ecodeclaration P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and			
P3.2* The product complies with the applicable Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): http://www.lenovo.com/ecodeclaration P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and			
Required information is; given in item P15 or added to this document, available at (add URL): http://www.lenovo.com/ecodeclaration P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	\boxtimes		
P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and			
nonavaione of an annumby weight of those together.			
P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(sused (see legal reference).	s) 🔀		
P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			
P6 Treatment information			
P6.1* Information for recyclers/treatment facilities is available (https://lenovo.com/recycling).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	82W6,82W7,83BN	Logo	1
Issue date *	2023-03-06		Lenovo

Produc	t environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\square	П	\Box
P7.2*	Plastic materials in covers/housing have no surface coating.		$\overline{\boxtimes}$	$\overline{\Box}$
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		Ī	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC/ABS Material type: PC Material type: AL Material type: TPU			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.			$\overline{\Box}$
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	o 🔀		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all ☐ PCBs > 25 g ☒ are low halogen as defined in IEC 61249-2-21.			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according to ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: Bisphenol A diphosphate, CAS #: 181028-79-5			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:FR(40)	\boxtimes		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
L	The source(s) for these classifications is/are found at (and ONL(s)).			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

Model number *	82W6,82W7,83BN	Logo	1
Issue date *	2023-03-06		Lenovo

	oduct environmental attributes - Market requirements (continued)					Require		t met
Item						Yes N	10	n.a.
D7 00*	Material and substance requirements (continued) Postconsumer recycled plastic material content is used in the product (See NOTE B6):						_	_
P7.20*	If YES; at least one	of the two alternative	s below shall be answ	ered;): ontent (calculated as a			
	percentage of or	total plastic by weight	t) is 6.83 %.	yoled plastic material o	ontoni (balbalatea ab a			
P7.21*		recycled material is 3 aterial content is used	3.9 g. I in the product (See N	OTE B7):			$\overline{\mathbf{X}}$	П
If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or							_	
		the biobased plastic r						
P7.22*		ree from mercury, i.e. specify: Number of lan	less than 0,1 mg/lamp	num mercury content p	er lamp: mg			
P7.23*			e total mercury conten				X	
P8	Batteries				<u> </u>			
P8.1*	Battery chemical co	omposition: Lithium io	on					
P9	Energy consumpt	ion (See NOTE B8)						
P9.1	For the product the	following power level	s or energy consumpti	ons are reported:				
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test meth			
Peak (On-	Max)	65 W	65 W	65 W	Full Load			
Device Ca	tegory 1							
Short Idle Enabled (I	State – WOL P _{short_idle})	3.95 W	3.95 W	3.97 W	ENERGY STAR Con	nputers V8	3.0	
Enabled (I		0.47 W	0.47 W	0.48 W	ENERGY STAR Con	nputers V8	3.0	
(P _{Sleep})) – WOL Disabled	0.47 W	0.47 W	0.48 W	ENERGY STAR Con	nputers V8	3.0	
Disabled ((S5) – WOL (P _{off})	0.38 W	0.38 W	0.39 W	ENERGY STAR Con	nputers V8	3.0	
	ergy Consumption	W	W	W				
	ergy Consumption	11.54 kWh/year	4 kWh/year					
Device Ca	tegory 2							
Enabled (I		4.67 W	4.65 W	4.64 W	ENERGY STAR Con	nputers V8	3.0	
Enabled (I		0.48 W	0.48 W	0.49 W	ENERGY STAR Con	nputers V8	3.0	
(P _{Sleep})	– WOL Disabled	0.48 W	0.48 W	0.49 W	ENERGY STAR Con	•		
Disabled ((S5) – WOL (P _{off})	0.38 W	0.38 W	0.39 W	ENERGY STAR Con	nputers V8	3.0	
	ergy Consumption	W	W	W				
ETEC * Annual En	ergy Consumption	13.16 kWh/year	13.12 kWh/year	13.16 kWh/year	$E_{TEC} = (8760/1000) x$ $P_{sleep} \times 0.05 + P_{long_ld}$ $P_{short_Idle} \times 0.35$		5 +	

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

External P	ower Supply Efficiency Level (International Efficiency Marking Protocol) * : VI	International Efficiency Marking Protocol (IEMP) for External Power Supplies	
Display re	solution * : 1.327 megapixels	1536*864	
Default tim	ne to enter energy save mode: 7.5 minutes	ENERGY STAR Computers V8.0	
P9.2*	Information about the energy save function is provided with the product.		
P9.3	Energy efficiency class (monitors only):		

Model number *	82W6,82W7,83BN	Logo	1
Issue date *	2023-03-06		Lenovo

Product	environmental	attributes - Market requirements (continued)	Requirer	nent	met	
Item			Yes	No	n.a.	
P10	Emissions					
	Noise emission	n – Declared according to ISO 9296 (See NOTE B9)				
P10.1	Mode		ower level,			
	Idle	* Idle Mode * 2.2			1	
	Operation	* Operating (CPU)				
	Other Mode	Declared A-weighted sound pressure level (dB) NA (operator position desktop – idle)				
	Other mode	$ \begin{array}{c} \hline \text{Declared A-weighted sound pressure level (dB)} \\ L_{p\text{Am}} \\ \hline \end{array} \begin{array}{c} \text{NA (operator position desktop - operating} \\ \text{NA (operator position desktop - operating} \\ \end{array} $				
	Measured accor	rding to: S ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)				
	Electromagnet					
P10.4	Computer displa program(s): MP	ay meets the requirement for low frequency electromagnetic fields of the following voluntary R-II(3 pin AC adapter only)				
P12		r computing products				
P12.1*	. ,	ets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes			
P12.2*	The physical inp	out device meets the requirements of ISO 9995 and ISO 9241-410.	\boxtimes			
P13		documentation				
P13.1*	Product packaging material type(s): Cardboard Product packaging material type(s): Cardboard Product packaging material type(s): EPE Product packaging material type(s): EPE Product packaging material type(s): LDPE Product packaging material type(s): LDPE Product packaging material type(s): Paper Product packaging material type(s): Paper					
P13.2*	Product plastic primary packaging is free from PVC.				\Box	
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 82 %					
P13.4*						
P13.5		mplete this item if paper documentation used) ct documentation on paper media is chlorine-free: pecify:				
	Totally chlorine-	free	\boxtimes			
	Elemental chlorine-free					
	Processed chlor	rine-free				
P14	Voluntary prog	rams				
P14.1	The product meets the requirements of the following voluntary program(s):					
	ENERGY STAR Eco-label: <i>EPE</i>	Criteria version: IEEE 1680.1- Date: 2023/03/17 Product category: Notebook 2018				
	Eco-label: <i>TCO</i>	Criteria version: 9.0 Date: 2023/02/13 Product category: Noteb	ook			
P15	Additional info	rmation (See NOTE B10)				
P9	Energy consumption of computer products; description of the tested product configuration:					
	. 37	Procedure Processing				
				_		

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	

Lenovo ErP Lot26 Information Sheet - Network Equipment -

As required by_

- Commission Regulation (EC) No 1275/2008 of 17 December 2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off-mode electric power consumption of electrical and electronic household equipment (ErP Lot 6)
- Commission Regulation (EU) No 801/2013 of 22 August 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for (ErP Lot 26).

Products scope of this sheet:

Notebook/Tablet Computer < 6 W Idle

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo 14e Chromebook Gen 3; IP Slim 3 Chrome 14IAN8	Logo
Model Number	82W6,82W7,83BN	
Product Type	Notebook Computer with Idle Power < 6 W	Lenovo
Issue Date	2023-03-06	
Additional information		

Product environmental attributes	
year of manufacture:	2023
Network Standby Classification	LoNA Equipment
Off Mode Power (Watts)	0.42 Watts
Standby Mode	Watts
Description of how to enable Network Standby Mode	Network Standby Mode is enabled at Shipment
Description of how to manually enter Network Standby Mode	Press the Power Button once Click on the Power Button and choose Sleep
Default Delay time to Network Standby Mode	7.5 minutes
Reactivation Function from Network Standby Mode	Open Notebook, Press Keyboard or power button, activate USB

Performance Network Protocol Network Standby Watts 0.54Watts Watts Wat			Ethernet	Wireless Ethernet	USB-A	USB-C	HDMI	BlueTooth	Other:	
Product										
Active in Network			_	_	_	_				
Network Standby Mode N/A N/A Left and Righ Left Right N/A N/										
Network Port N/A N/A Left and Righ Left Right N/A	Ne	etwork		×						
Maximum			N/A	N/A	Left and Righ	Left	Right	N/A	N/A	
Network Protocol Network Standby Watts O.54Watts Watts	M	laximum	GB/s	0.15 GB/s	GB/s	GB/s	GB/s	GB/s	GB/s	
Network Standby Watts 0.54Watts Watts Watts Watts Watts Watts Watts Watts Watts Watts Mode Power Network Standby Power - All 0.54Watts Active Connections Additional Information Instructions on connecting to and disconnecting from wireless networks is included in the User Manual Test parameters for measurements, ambient temperature, 26.1 degree Celsius test voltage in V and frequency in Hz, 230 V / 50 Hz total harmonic distortion of the electricity supply system, information and documentation on the instrumentation, set-up and circuits used for electrical testing External power supply efficiency (if applicable)*: Model	Ne	etwork						BT5.2		
Network Standby Power – All Active Connections Additional Information Instructions on connecting to and disconnecting from wireless networks is included in the User Manual Test parameters for measurements, ambient temperature, test voltage in V and frequency in Hz, total harmonic distortion of the electricity supply system, information and documentation on the instrumentation, set-up and circuits used for electrical testing External power supply efficiency (if applicable)*: Model	St	tandby	Watts				Watts	Watts	Watts	
Additional Information Instructions on connecting to and disconnecting from wireless networks is included in the User Manual Test parameters for measurements, ambient temperature, test voltage in V and frequency in Hz, total harmonic distortion of the electricity supply system, information and documentation on the instrumentation, set-up and circuits used for electrical testing External power supply efficiency (if applicable)*: Model	Ne	etwork								
Additional Information Instructions on connecting to and disconnecting from wireless networks is included in the User Manual Test parameters for measurements, ambient temperature, test voltage in V and frequency in Hz, total harmonic distortion of the electricity supply system, information and documentation on the instrumentation, set-up and circuits used for electrical testing External power supply efficiency (if applicable)*: Model	Pr	ower – All				0 54\Matte				
Additional Information Instructions on connecting to and disconnecting from wireless networks is included in the User Manual Test parameters for measurements, ambient temperature, test voltage in V and frequency in Hz, total harmonic distortion of the electricity supply system, information and documentation on the instrumentation, set-up and circuits used for electrical testing External power supply efficiency (if applicable)*: Model	A	ctive				0.54vvatts				
Additional Information Instructions on connecting to and disconnecting from wireless networks is included in the User Manual Test parameters for measurements, ambient temperature, test voltage in V and frequency in Hz, total harmonic distortion of the electricity supply system, information and documentation on the instrumentation, set-up and circuits used for electrical testing External power supply efficiency (if applicable)*: Model Output Output Output Power Efficiency Efficiency Power Delta 20 V 2.25 A 45 W 90% 88% 0.07 W Chicony 20 V 2.25 A 45 W 89% 88% 0.07 W Liteon 20 V 2.25 A 45 W 89% 88% 0.07 W Acbel 20 V 2.25 A 45 W 89% 88% 0.07 W Acbel 20 V 3.25 A 65 W 92% 91% 0.06 W Delta 20 V 3.25 A 65 W 92% 91% 0.06 W Chicony 20 V 3.25 A 65 W 92% 91% 0.06 W Lifeon 20 V 3.25 A 65 W 90% 90% 0.08 W Acbel 20 V 3.25 A 65 W 90% 90% 0.08 W Acbel 20 V 3.25 A 65 W 90% 90% 0.08 W Acbel 20 V 3.25 A 65 W 90% 90% 0.08 W Acbel 20 V 3.25 A 65 W 90% 90% 0.08 W Acbel 20 V 3.25 A 65 W 90% 90% 0.08 W Acbel 20 V 3.25 A 65 W 90% 90% 0.08 W Acbel 20 V 3.25 A 65 W 90% 90% 0.08 W										
ambient temperature, test voltage in V and frequency in Hz, total harmonic distortion of the electricity supply system, information and documentation on the instrumentation, set-up and circuits used for electrical testing External power supply efficiency (if applicable)*: Model			tion							
test voltage in V and frequency in Hz, total harmonic distortion of the electricity supply system, information and documentation on the instrumentation, set-up and circuits used for electrical testing External power supply efficiency (if applicable)*: Model	Add	ditional Information	onnecting to a		ing from wireles	ss networks is in	ncluded in the	User Manual		
total harmonic distortion of the electricity supply system, information and documentation on the instrumentation, set-up and circuits used for electrical testing External power supply efficiency (if applicable)*: Model	Add Inst	ditional Informa tructions on constant	onnecting to all or measurement					User Manual		
information and documentation on the instrumentation, set-up and circuits used for electrical testing External power supply efficiency (if applicable)*: Model	Add Insi	ditional Informa structions on co st parameters for mbient temper	onnecting to all or measurement rature,	s,		26.1 degree Cels		User Manual		
Set-up and circuits used for electrical testing Power Meter: YOKOGAWA-W1310; AC Source: NF-EC100	Add Inst	ditional Information on constructions on constructions on constructions on constructions on construction of the construction o	onnecting to all or measurement rature, / and frequency	s, r in Hz,		26.1 degree Cels 230 V / 50 Hz		User Manual		
Model	Add Inst	ditional Informative tructions on constructions on constructions on constructions on constructions of the construction of the	onnecting to an or measurement rature, and frequency distortion of the	s, r in Hz, e electricity sup	oply system,	26.1 degree Cels 230 V / 50 Hz		User Manual		
Voltage	Add Inst	etructions on constructions on constructions on constructions on constructions on constructions on construction and construct	onnecting to all or measurement rature, and frequency distortion of the documentation	s, r in Hz, e electricity sup n on the instru	oply system,	26.1 degree Cels 230 V / 50 Hz 0.36%	sius		re: <i>NF-EC100</i>	
Chicony 20 V 2.25 A 45 W 89% 88% 0.05 W Liteon 20 V 2.25 A 45 W 90% 88% 0.07 W Acbel 20 V 2.25 A 45 W 81% 81% 0.06 W Delta 20 V 3.25 A 65 W 92% 91% 0.06 W Chicony 20 V 3.25 A 65 W 91% 89% 0.07 W Liteon 20 V 3.25 A 65 W 90% 90% 0.08 W Acbel 20 V 3.25 A 65 W 82% 81% 0.06 W "Values are tested at 230V / 50Hz	Add Inst	est parameters for mbient temper est voltage in Votal harmonic of information and et-up and circu	onnecting to all or measurement rature, and frequency distortion of the documentation its used for ele	s, r in Hz, e electricity sup n on the instru ctrical testing	oply system,	26.1 degree Cels 230 V / 50 Hz 0.36%	sius		re: NF-EC1000	
Liteon 20 V 2.25 A 45 W 90% 88% 0.07 W Acbel 20 V 2.25 A 45 W 81% 81% 0.06 W Delta 20 V 3.25 A 65 W 92% 91% 0.06 W Chicony 20 V 3.25 A 65 W 91% 89% 0.07 W Liteon 20 V 3.25 A 65 W 90% 90% 0.08 W Acbel 20 V 3.25 A 65 W 82% 81% 0.06 W "Values are tested at 230V / 50Hz	Add Inst	est parameters for main temper est voltage in Voltal harmonic of the parameters and the control of the parameters and the parameters are control of the parameters are control of the parameters and the parameters are control of t	onnecting to an or measurement rature, If and frequency distortion of the documentation its used for elepply efficiency (i	s, e electricity sup n on the instru ctrical testing f applicable)*: Output Current	oply system, mentation, Output Power	26.1 degree Cels 230 V / 50 Hz 0.36% Power Meter: YC Average Active Efficiency	DKOGAWA-W	F310; AC Source	_oad wer	
Acbel 20 V 2.25 A 45 W 81% 81% 0.06 W Delta 20 V 3.25 A 65 W 92% 91% 0.06 W Chicony 20 V 3.25 A 65 W 91% 89% 0.07 W Liteon 20 V 3.25 A 65 W 90% 90% 0.08 W Acbel 20 V 3.25 A 65 W 82% 81% 0.06 W *Values are tested at 230V / 50Hz	Add Inst	ditional Information and circuptal harmonic of the conformation and circuptal power support of the circuptal power suppo	onnecting to all or measurement rature, / and frequency distortion of the documentation its used for elepply efficiency (i	e electricity supon on the instructrical testing fapplicable)*: Output Current 2.25 A	oply system, mentation, Output Power 45 W	26.1 degree Cels 230 V / 50 Hz 0.36% Power Meter: YC Average Active Efficiency 90%	DKOGAWA-WT	rato; AC Source and No Lead Portion P	Load wer 7 W	
Chicony 20 V 3.25 A 65 W 91% 89% 0.07 W Liteon 20 V 3.25 A 65 W 90% 90% 0.08 W Acbel 20 V 3.25 A 65 W 82% 81% 0.06 W "Values are tested at 230V / 50Hz	Add Inst	est parameters for main set voltage in Voltage in Voltage in Voltage and circusternal power support of the Model Delta Chicony	onnecting to an or measurement rature, // and frequency distortion of the documentation its used for elepply efficiency (i Output Voltage 20 V 20 V	e electricity sup n on the instru ctrical testing f applicable)*: Output Current 2.25 A 2.25 A	oply system, mentation, Output Power 45 W 45 W	26.1 degree Cels 230 V / 50 Hz 0.36% Power Meter: YC Average Active Efficiency 90% 89%	DKOGAWA-WT	rato; AC Source ad No Leacy Por 0.0 0.0	_oad wer 7 W 5 W	
Liteon 20 V 3.25 A 65 W 90% 90% 0.08 W Acbel 20 V 3.25 A 65 W 82% 81% 0.06 W *Values are tested at 230V / 50Hz	Add Inst	est parameters for main structions on constitutions on constitutions on constitutions on constitutions on the set voltage in Violation and constitution and cert-up and circumiternal power support of the set voltage of the	onnecting to an or measurement rature, or and frequency distortion of the documentation its used for elepply efficiency (i Output Voltage 20 V 20 V	e electricity supon on the instructrical testing fapplicable)*: Output Current 2.25 A 2.25 A 2.25 A	oply system, mentation, Output Power 45 W 45 W 45 W 45 W	26.1 degree Cels 230 V / 50 Hz 0.36% Power Meter: YC Average Active Efficiency 90% 89% 90%	DKOGAWA-WT e 10% Lo Efficier 88% 88%	rad No L ncy Poo 0.0 0.0 0.0	_oad wer 7 W 5 W 7 W	
Acbel 20 V 3.25 A 65 W 82% 81% 0.06 W *Values are tested at 230V / 50Hz	Add Inst	st parameters for main structions on constitutions on constitutions on constitutions on constitutions on constitutions and set of the constitution	onnecting to an or measurement rature, or and frequency distortion of the documentation its used for elepply efficiency (in the control of t	s, e electricity sup n on the instru ctrical testing f applicable)*: Output Current 2.25 A 2.25 A 2.25 A 3.25 A	Output Power 45 W 45 W 45 W 65 W	26.1 degree Cels 230 V / 50 Hz 0.36% Power Meter: YC Average Active Efficiency 90% 89% 90% 81% 92%	DKOGAWA-W7 BE 10% Lc Efficier 88% 888% 888% 881% 911%	rad No L ncy Pos 0.0 0.0 0.0 0.0	Load wer 7 W 5 W 7 W 6 W 6 W	
Values are tested at 230V / 50Hz	Add Inst	st parameters for maintenance of the set parameters for mbient temper est voltage in Votal harmonic of the set parameters and circular and circular power support of the set parameters	onnecting to an or measurement or measurement or measurement or adverse or measurement or the or measurement of the or measurement o	s, e electricity sup n on the instru ctrical testing f applicable): Output Current 2.25 A 2.25 A 2.25 A 3.25 A 3.25 A	Output Power 45 W 45 W 45 W 65 W 65 W	26.1 degree Cels 230 V / 50 Hz 0.36% Power Meter: YC Average Active Efficiency 90% 89% 90% 81% 92% 91%	DKOGAWA-WT e 10% Lc Efficier	F310; AC Source Port	Load wer 7 W 5 W 7 W 6 W 6 W 7 W	
	Add Inst	st parameters for maintenance of the set voltage in Vol	onnecting to an or measurement rature, If and frequency distortion of the documentation its used for elepply efficiency (in the least of the least	s, e electricity sup n on the instru ctrical testing f applicable)*: Output Current 2.25 A 2.25 A 2.25 A 3.25 A 3.25 A 3.25 A 3.25 A	Output Power 45 W 45 W 45 W 65 W 65 W	26.1 degree Cels 230 V / 50 Hz 0.36% Power Meter: YC Average Active Efficiency 90% 89% 90% 81% 92% 91% 90%	BE 10% LC Efficier 88% 88% 88% 81% 91% 99% 90%	F310; AC Source Por 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	Load wer 7 W 5 W 7 W 6 W 6 W 7 W 8 W	
Measurement methodology used to determine information mentioned in points (5) – external PSU efficiency:	Tes ar te to in se	st parameters for mbient temper est voltage in Voltal harmonic conformation and et-up and circusternal power support titeon Acbel Delta Chicony Liteon Acbel Acbel	onnecting to an or measurement rature, I and frequency distortion of the documentation of the pply efficiency (in the poly ef	s, e electricity sup n on the instru ctrical testing f applicable)*: Output Current 2.25 A 2.25 A 2.25 A 3.25 A 3.25 A 3.25 A 3.25 A	Output Power 45 W 45 W 45 W 65 W 65 W	26.1 degree Cels 230 V / 50 Hz 0.36% Power Meter: YC Average Active Efficiency 90% 89% 90% 81% 92% 91% 90%	BE 10% LC Efficier 88% 88% 88% 81% 91% 99% 90%	F310; AC Source Por 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	Doad wer 7 W 5 W 7 W 6 W 6 W 7 W 8 W	