



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Portable Computer Tablet			
Commercial name *	Lenovo Tab M8 (4th Gen)			
Model number *	ZABW,ZABU,ZABX,ZABY			
Issue date *	2022.10.19			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information	Wifi only product - ZABU,ZABW (ENERGY STAR)			
	Wifl + LTE - ZABX,ZABY (ENERGY STAR Not applicable due to LTE)			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		ZABW,ZABU		Leno	MO	
Issue dat	te *	2022.10.19		Leilo	, V O	R
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*		s do not contain Asbestos (see legal reference).				
		nt: Legal reference has no maximum concentration value.		B - 4		
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	lamida 111		Ш	
		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
		ration values.	iaxiiiiuiii			
P1.4*		lorinated	$\boxtimes$			
		(PCT) in preparations (see legal reference).				
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car	oon atoms in	the 🔀		
		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above 0	),5 μg/cm²/we	ek 🔀	Ш	
		al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact).	$\square$		
		vww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	oontaot).		ш	
P2	Batterie					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with	he disposal		П	
		Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn e)	nium. (See leզ	gal 🔀		Ш
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		X		
P3		nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference)	).		
		laration of Conformity can be requested at (add link or e-mail address):				
		vww.lenovo.com/us/en/compliance/eu-doc for EU;				
P3.2*		www.lenovo.com/us/en/compliance/uk-doc for UK duct complies with the Eco design requirements for energy-related products,		$\overline{\square}$	$\overline{}$	
F3.2		al reference).			Ш	
		d information is; Silven in item P15 or added to this document,				
		available at (add URL):				
	https://v	vww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	y, cadmium	and 🔀		
	hexavale	ent chromium by weight of these together.				
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature legal reference).	of the materia	ıl(s) 🔀		
P5.3*		luct packaging material is free from ozone depleting substances as specified in the N	Nontreal Proto	ocol 🔀		
		al reference).			ш	
		nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Wodel number *		ZABW,ZABU	Logo	Len	01/0	
Issue dat	:e *	2022.10.19		Leii		тн
Product	environ	mental attributes - Market requirements (See General NOTE GN I	below)			
	- Enviro	nmental conscious design		Require	ment ı	net
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
<b>P7</b> P7.1*		Disassembly, recycling t have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.			<u> </u>	<u> </u>
P7.3*		arts > 100 g consist of one material or of easily separable materials.		<del>-  -</del>	<u> </u>	
P7.3	Plastic pa		<del> </del>			
P7.5			<del>  </del>	$\blacksquare$		
P7.6*	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.					
P7.0	Product	re easily separable. (This requirement does not apply to safety/regulatory labels).			<u> Ц</u>	
P7.7*			$\square$			
P7.8*		g can be done e.g. with processor, memory, cards or drives g can be done using commonly available tools		-H	X	+
P7.9	Spare pa			$\vdash$		
P7.10	_ ' '			<u> </u>		
17.10		s available after end of production for: 1 years  and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
	Material	type: <b>PC</b> Material type: <b>PC+20%GF</b> Materia	Il type: <i>AL</i> 5052			
P7.12	Insulation	n materials of external electrical cables are PVC free.		$\boxtimes$		
P7.13	Insulatio	n materials of internal electrical cables are PVC free.		$\boxtimes$		
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) br			$\boxtimes$	
		1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in				
		n 25% post-consumer recycled content.	i parts containing			
P7.15	Printed o	ircuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗔 ed in IEC 61249-2-21. (See 1NOTE B2)	are low halogen			
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		$\square$		
	Marking:	>FR40<				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co				
	TBBP	PA (additive), ☐TBBPA (reactive) (See NOTE B3),⊠Other: <b>BPA</b> , CAS #: <b>5945-3</b> 3	3-5	$\bowtie$		
		nemical specifications of flame retardants in printed circuit boards (without compone	ents) > 25 g			
	accordin	g ISO 1043-4:			Ш	
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparations in			
		ations above 0,1%: ical name: <i>DOPO</i> , CAS #: <i>35948-25-5</i> (See NOTE B4)				
		ical name: , CAS #: "				
	3. Chemi	ical name: , CAS #: "				
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	3-4: <b>FR40</b>			
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which	have been			
	•	the following Risk phrases; and Hazard statements:				
D7 00*		1 11	note B5)			
P7.20*	rusicons	sumer recycled plastic material content is used in the product (See Note B6):			Ш	Ш
		t least one of the two alternatives below shall be answered;				
		otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content	t (calculated as			
	or	ercentage of total plastic by weight) is 3.9%.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	ZABW,ZABU	Logo	Lor	novo	
Issue date *	2022.10.19		Lei		<b>Ј</b> тн
Product environr	nental attributes - Market requirements (continued)		Requ	iremer	nt met
Item			Yes	No	n.a.

		stance requirements							
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):								
	If YES; at least one of the two alternatives below shall be answered;								
	total plastic b	by weight) is %.							
	or b) The weight of	of the biobased plastic	material is a						
P7.22*			less than 0,1 mg/lamp.		$\boxtimes$				
		specify: Number of la		um mercury content pe	er lamp: mg	ш			
P8	Batteries								
P8.1*	Battery chemical	composition: Li-ion							
P9	Energy consump	otion (See NOTE B8)							
P9.1		the product the following power levels or energy consumptions are reported:							
Energy mo	ode *	Power level at	Power level at	Power level at	Reference/Standard for energy				
D1- (O		100 V AC	115 V AC	230 V AC	modes and test method *				
Peak (On-	max)	9.43 W	9.43 W	9.43 W	Full load				
Categor	y2								
		4 <b>7</b> 10/	4 4 4 1 1 1	4.0714	EVEDOV OTAB O				
Snort Idle Enabled	State - WOL	1.7 W	1.44 W	1.67 W	ENERGY STAR Computers				
Enabled					V8.0 (P <sub>idle</sub> )				
	State - WOL	0.51 W	0.5 W	0.54 W	ENERGY STAR Computers				
Enabled					V8.0 (P <sub>idle</sub> )				
01 (00		0.54344	0.510/	0.74104	EVEDOV OTAD O				
Sieep (53)	) - WOL Disabled	0.51 W	<b>0.5</b> W	<b>0.54</b> W	ENERGY STAR Computers V8.0				
					V0.0				
Off (S5) -	WOL Disabled	0.19 W	0.19 W	0.23 W	ENERGY STAR Computers				
					V8.0				
		W	W	W	Reference				
EDC Na Ia	- d	0.0246384	0.035 \\\	0.0226 \//	+				
EPS No-lo		<b>0.0246</b> W	0.025 W	0.0336 W					
	supply / charger plugged in the sconnected from the product.)								
ETEC *	0 "	6.89 W	6.17 W	<b>7.01</b> W	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$				
Annual En	ergy Consumption				+ P <sub>sleep</sub> x 0.35 + P <sub>long_Idle</sub> x 0.10+				
		Poff: Off Mode(S5) - V	   OL Enabled: Psign: Sleen	   Mode(S3) - WOL Enable	P <sub>short_Idle</sub> x 0.30) ed; P <sub>idle</sub> : Idle State - WOL Enabled				
External P	ower Supply Efficie		al Efficiency Marking Pro		Tare the control of t				
	solution * : 1.024 m	, ,	<u>-</u>						
		ave mode: 0.5 minute	•		+	-#-			
				nundi int		<del>-  -</del>			
P9.2*			tion is provided with the	product.		Ц_			
P9.3		class (monitors only):							
P10	Emissions	<u> </u>	. 100 0000 /O. NOTE	. DO)					
P10.1			to ISO 9296 (See NOTE	_ <del>, '</del>	it A weighted sound newer level /	(D)			
P 10.1	Idle	Mode description		*	it A-weighted sound power level, $L_{WA,c}$				
		*		*					
	Operation	Declared A westerfaled	nd management (-ID)						
			nd pressure level (dB) $L_{p m Am}$		sition desktop – idle)				
	Other mode	Declared A-weighted sou	nd pressure level (dB) $L_{p{ m Am}}$	(operator position desktop – operating)					
	Measured accord	ing to: ISO 7779	ECMA-74	I					
		Other	(only if not covered by	FCMA-74)					
Other (only if her covered by LowiA-14)									

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nui	nber *	ZABW,ZABU			L	ogo	one	1/0	
Issue date *		2022.10.19					_eno	VO	н
Product	environn	nental attribute	s - Market requirement	s (continued)			Require	ment	met
Item			-				Yes	No	n.a.
		nagnetic emissio							
P10.4	Compute program		e requirement for low frequ	ency electromagnetic fields	s of the followi	ing voluntary			
P12		nics for computir							
P12.1*	The disp	lay meets the ergo	pnomic requirements of ISC	9241-307 for visual displa	y technologie:	S.	$\boxtimes$		
P12.2*	The phys	sical input device r	neets the requirements of I	SO 9995 and ISO 9241-41	0.		$\boxtimes$		
P13		ng and documen							
P13.1*	Product Product	packaging materia packaging materia	I type(s): <i>paper(manual)</i> w I type(s): <i>PE bag</i> we	ight (kg): <b>0.122</b> reight (kg): <b>0.075</b> ight (kg): <b>0.006</b>					
P13.2*	Product	plastic primary pac	kaging is free from PVC.				$\boxtimes$		
P13.3*	consume	er recovered fiber of			ercentage of	minimum post	<b>;-</b>		
P13.4*		media for user and ronic, ⊠Paper, ☐	product documentation (tide) Other	ck box):					
P13.5	User and If Yes, pl Totally cl Elementa	d product documer lease specify: hlorine-free al chlorine-free	item if paper documentatio ntation on paper media is ch						
		ed chlorine-free							
P14		ry programs							
P14.1		Y STAR® el:	uirements of the following v Criteria version: <b>V8.0</b> Criteria version: Criteria version:	oluntary program(s):  Date: 2020/10/15 Date: Date:	Product cate Product cate Product cate	egory:			
P15		nal information (S							
P9	NOTE: S the infor supplier informat Account	Supplier makes no rmation contained o's knowledge ava tion. The informa t Representative	specific configuration may o representations, guaran d in this document. All int ailable at the time of comp tion provided here is app for more information.	ntees, assurances or warn formation provided by su pletion, and supplier shal roximate and provided fo	ranties wheth pplier in this I have no obl or information	ner express or document is p ligation to upd	implied, i provided ate such	regard based	ding I on
P9			d Notebooks & Tablet Cor ov/index.cfm?fuseaction=			ogw_code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Tab M8 (4th Gen)	Logo	
Model Number	ZABW,ZABU,ZABX,ZABY		Longvo
Issue Date	2022.10.19		Lenovo.
Additional information	Wifi only product - ZABU,ZABW Wifl + LTE - ZABX,ZABY)		

(d)	Year of manufacture:				2022	
e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.					
(f)	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjust	ments applied when a	all discrete graphics	cards (dGfx) are	
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
	Memory over base [GB]	4				
ents sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
ability	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	
sults	Category of discrete graphics Card(s)	No				
	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	4.24				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled					
g)	Idle state power demand (Watts);	1	l	1	1.31	
h)	Sleep mode power demand (Watts);				0.28	
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);			
j)	Off mode power demand (Watts);				0.11	
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);			
[1)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 9	% of rated output pow	er (if applicable):		
	10% 20% 50%	100% Avera	ige			
m)	External power supply efficiency (if appli	cable)*:				
	Average active efficiency: 82.23%					
	*internal note: show values for all available external p					
o)	Minimum number of loading cycles that			. ,	800cls , ≥70% capacity	
(p-1)	Measurement methodology used to dete	ermine information men	tioned in points (I) – in	nternal PSU efficiency	:	
(p-2)	Measurement methodology used to dete					

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: 0.5C Charge/Discharge					
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode			
	EN 62	2623:2013 Desktop and notebook computers - Me	asurement of energy			
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::			
	EN 62	2623:2013 Desktop and notebook computers - Me	asurement of energy			
(r)	Description of how sleep and/or off mode was selected or programmed:					
	refer to power man	agement, sleep mode: ACPI system level G1/S3 ( ACPI system level G2/S5 ('soft off') s				
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or			
		r to power management, 0.5mins automatically r	eaches sleep mode			
(t)		te condition before the computer automatically researched the applicable power demand requirement		0.5		
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  NA					
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):					
(w)	Information on the el	nergy-saving potential of power management function	nality:	<u> </u>		
(w)	information on the el	refer to user manual	ianty.			
(x)	User information on	how to enable the power management functionality: <i>refer to user manual</i>				
(z)	the electricity supply	measurements: — test voltage in V and frequency in system, — information and documentation on the insting: 230V50HZ-2%-Edition 2.0, 2011-01, Section 4	strumentation, set-up and circuits			
Addition	al Notebook Batter					
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal/b	ouilt-in Battery					
External/	detachable Battery					
Bios Bac	kup Battery					
Other:	Other:					
Additiona	Il information					
)				<u>-</u>		

The battery[ies] in this product cannot be easily replaced by users themselves.

Aкумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi usor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.