



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Loge	0		
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs		ODOVO		
e-mail address	Alvin L Carter		Lenovo		
	<u>Alcarter@lenovo.com</u>				
Internet site *	http://www.lenovo.com/social responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	Lenovo V14 G4 IAN				
Model number *	82YV				
Issue date *	2022-12-27				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	82YV	Logo	Long		
Issue date *		2022-12-27		Lend	JVC) _{TH}
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item		<u> </u>		Yes	No	n.a.
P1	Hazardo	ous substances and preparations		÷	•	
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference an	d NOTE B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carboi ethane, methyl bromide (see legal reference). Comment: Legal reference h ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% /l (PCT) in preparations (see legal reference).	polychlorinated	\boxtimes		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10 ntaining at least 48% per mass of chlorine in the SCCP (see legal referenc		the 🔀		
P1.6*	Parts wit	th direct and prolonged skin contact do not release nickel in concentrations al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.		eek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	or mail contact):			
P2	Batterie	s		*	•	
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labele Information on proper disposal is provided in user manual. (See legal refere				
P2.2*	Batteries	s or accumulators do not contain more than 0,0005% of mercury or 0,002% e)	of cadmium. (See le	gal 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The proc The Dec	duct is CE-marked to show conformance with applicable legal requirements claration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU; www.lenovo.com/us/en/compliance/uk-doc for UK	(see legal reference).		
P3.2*		duct complies with the Eco design requirements for energy-related products al reference).	,			
	Required	d information is; Silven in item P15 or added to this document, available at (add URL):				
	https://w	www.lonovo.com/us/on/complianco/oco-doclaration				

Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and

The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)

The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

https://www.lenovo.com/us/en/compliance/eco-declaration

Comment: Legal reference has no maximum concentration values.

Information for recyclers/treatment facilities is available (see legal reference).

hexavalent chromium by weight of these together.

P5

P5.1

P5.2*

P5.3*

P6

P6.1

Product packaging

used (see legal reference).

(see legal reference).

Treatment information

Model nu	ımber *	82YV	Logo	1	<u> </u>	
Issue dat	te *	2022-12-27		Len	ovc) _{TH}
Product	- Enviro	mental attributes - Market requirements (See General NOTE GN onmental conscious design	below)	Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*		t have to be treated separately are easily separable			Ц_	
P7.2*	Plastic m		\boxtimes			
P7.3*	Plastic pa	arts > 100 g consist of one material or of easily separable materials.		\boxtimes		
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes		
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	\boxtimes		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		X		
	Product	lifetime				
P7.7*	Upgradin	ng can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradin	ng can be done using commonly available tools		X		
P7.9	Spare pa	arts are available after end of production for: 3 years				
P7.10	Service is	s available after end of production for: 5 years				
	Material	and substance requirements		·		
P7.11*	Product of	cover/housing material type (e.g. plastics, metal, aluminum): type: PC+ABS+TF15 Material type: PC+ABS				
P7.12	Insulation	n materials of external electrical cables are PVC free.			X	
P7.13	Insulation	n materials of internal electrical cables are PVC free.		H		$\overline{\Box}$
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants, a	nd		
P7.15	as define	circuit boards, PCBs (without components) are low halogen: all 🔲 PCBs > 25 g 🧮 ed in IEC 61249-2-21. (See 1NOTE B2)	_			
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: FR(40)				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	components):			
	according	nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4:	ents) > 25 g			
P7.18	concentra 1. Chemi 2. Chemi 3. Chemi	etarded plastic parts >25g contain the following flame retardant substance: ations above 0.1%: ical name: CAS #: ical name: CAS #: ical name: CAS #: ical name: , CAS #:	s/preparations	in		
	Chemica FR(40)	Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	assigned The sour	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements: H411;H413 rec(s) for these classifications is/are found at (add URL(s)): European Counter (See note R5)				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

Postconsumer recycled plastic material content is used in the product (See Note B6):

If YES; at least one of the two alternatives below shall be answered;

a percentage of total plastic by weight) is 2.47%.

The weight of recycled material is 13.61 g.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (cIAUulated as

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

P7.20*

a)

or

b)

Model number *	82YV	Logo	Len	01/0	
Issue date *	2022-12-27		Len		тн
Product environn	nental attributes - Market requirements (continued)		Requir	emen	t met
Item			Yes	No	n.a.

D7 04*		ostance requirements	s (continued) ed in the product (See N	OTE DZ):						
P7.21*	•			•		Ш				
	If YES; at least one of the two alternatives below shall be answered;									
		 a) Of total plastic parts' weight > 25 g, the biobased plastic material content (clAUulated as a percentage of total plastic by weight) is 0%. 								
	or total place	io by worging to 070.								
		of the biobased plastic								
P7.22*			less than 0,1 mg/lamp							
P8	Batteries	d specify: Number of la	imps: and maxim	um mercury content pe	er lamp: mg		-			
P8.1*		composition: LI-ION F	Polymer battery and litt	hium-metal battery		$\overline{}$	_			
P9	-	ption (See NOTE B8)					_			
P9.1			els or energy consumpti	ons are reported:			_			
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	\boxtimes				
Peak (On	-max)	65 W	65 W	65 W	Full load		_			
Catego	<u>ry 1</u>									
Short Idle	e State - WOL	5.01 W	4.90 W	5.03 W	ENERGY STAR Computers V8		_			
Enabled										
Long Idle	State - WOL	0.50 W	0.50 W	0.53 W	ENERGY STAR Computers V8		-			
Enabled					•					
Sleep (S3	B) - WOL Disabled	0.50 W	0.50 W	0.53 W	ENERGY STAR Computers V8					
Off (\$5) -	WOL Disabled	0.28 W	0.27 W	0.31 W	ENERGY STAR Computers V8					
011 (00) -	WOL Disabled	0.20 VV	0.27 **	0.57 V	ENERGY GYAR Computers vo		_			
EPS No-lo		0.073 W	0.072 W	0.074 W	Reference					
(External power wall outlet but d	r supply / charger plugged in the lisconnected from the product.)									
PTEC *		W	W	W						
– –	nergy Consumption	**	**	VV						
		42 42 k\\/\b/\\\p\\\\oor	42 20k\\/b/yeer	42 76k/Mb/yeer	E = (9760/4000) × /D × 0.25	_	_			
ETEC * Annual Fr	nergy Consumption	13.13 kWh/year	13.28 kWh/year	13.76 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.45 + P_{long_idle} \times 0.05 +$	Ш				
,a <u>_</u> .	ioigy consumption				P _{short_Idle} x 0.25)					
		Post: Off Mode(\$5) - V	VOL Enabled: Paleon: Sleer	Mode(S3) - WOL Enabl	led; P _{idle} : Idle State - WOL Enabled		_			
					ou, illie alo etalo il o all'alore		_			
		• '	al Efficiency Marking Pro	otocol) * : V/		_ <u>_</u> _	_			
	esolution * :2.074 me									
Default tir	ne to enter energy s	ave mode: 5 minutes								
P9.2*	Information about	the energy save func	tion is provided with the	product.						
P9.3	Energy efficiency	class (monitors only):				\boxtimes				
P10	Emissions									
D40.4			to ISO 9296 (See NOTE		it A weighted sound newer level /	(D)				
P10.1		Mode description * Idle (Operating)		Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B) * 2.3						
	Operation	* HDD:Operation		* N/A		╬	_			
		CPU:Operation		2.3		Ш				
	Other mode	Declared A-weighted sou	nd pressure level (dB) $L_{p m Am}$	15.9 (operator pos	ition desktop – idle)		_			
			nd pressure level (dB) L_{pAm}							
	Measured accord		ECMA-74	1			_			
		Other (only if not covered by ECMA-74)								
	United (Only if Not Covered by LOWA-74)									

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		82YV					Logo	Long	1/0	
Issue date	*	2022-12-27						Leno		гн
Product	environr	nental attributes	- Market requiren	nents (cor	ntinued)			Require	ment	met
Item			•		•			Yes	No	n.a.
	Electron	magnetic emission	S					٠	•	
P10.4			requirement for low	frequency e	lectromagnetic fie	lds of the foll	lowing voluntary	/		
		(s): MPR-II(3 pin A								-
P12 P12.1*		mics for computing		1100 0044	207 for viewal diam	las da alamata			_	_
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.									
P13		ng and document								
P13.1*			type(s): <i>flute corrug</i> type(s): <i>paper(manu</i>		weight (kg): 0.333 weight (kg): 0.004					
		packaging material			1): 0.01655	3				
		packaging material		weight (kg						
P13.2*	Product	plastic primary pacl	aging is free from PV	′C.				X		
P13.3*			ated fiberboard pack	aging, spec	cify the contained	percentage	of minimum p	ost-		
		er recovered fiber co								
P13.4*			product documentation	n (tick box):						
540.5		ic 🔀, Paper 🔀, C								
P13.5			em if paper documer					\boxtimes		
		a product document lease specify:	ation on paper media	is chiorine-	iree:				Ш	
		. ,								
	,	hlorine-free al chlorine-free								
		ed chlorine-free								
D44										
P14 P14.1		ry programs	rements of the follow	ing voluntar	v program(s):					
F 14.1	The proc	auci meets me requ	ilements of the follow	ing voluntai	y program(s).					
	ENERG'	Y STAR®	Criteria version: 8.0)	Date: 2020-04	Product	category: 1			
	Eco-labe		Criteria version:		Date:		category:			
D45	Eco-labe		Criteria version:		Date:	Product	category:			
P15 P9		nal information (Se			description of th	o tootod ne	aduat aantiaur	otion.		
F3			ecific configuration representations, qu						renard	dina
			in this document. A							
	supplier	r's knowledge avai	lable at the time of	completion	, and supplier sh	all have no	obligation to u	pdate such		
			on provided here is		te and provided	for informat	tional purpose:	s only. See	a Lend	ovo
P9			or more information. Notebooks & Table		e for the latest in	formation				
L.A.			s://www.energystar.				ıters			
			gjotur	3 2 p. oau	oquipii					
L										

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo V14 G4 IAN	Logo					
Model number *	82YV		Longyo				
Issue date *	2022-12-27		Lenovo.				
Additional information							
P7.1.1 Product environmental attributes							

d)	Year of manufacture:				2022
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
f)	all discrete graphics	cards (dGfx) are			
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	8			
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	N/A			
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	13.23			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);	·		1	4.12
า)	Sleep mode power demand (Watts);				0.52
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.2
)	Off mode power demand (Watts);				0.37
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.37
l)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	ver (if applicable):	
	10% 20% 50%	100% Avera	ige		
m)	External power supply efficiency (if appli	icable)*:			
	Average active efficiency: 89.03% 89.7	70% 90.88%			
- \	*internal note: show values for all available external p		hand (and)		
0)	Minimum number of loading cycles that	tne batteries can withs	and (applies only to r	потероок computers):	300CYCLES
p-1)	Measurement methodology used to dete	ermine information mer	tioned in points (I) – i	internal PSU efficiency	:
p-2)	Measurement methodology used to dete	ermine information mer		- external PSU efficiend	cy:

(p-3)	(p-3) Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 61960 measurement methodology						
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	maximum, idle, sleep, off mode				
		EN 62623:2013 measurement methodo	ology				
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::				
		EN 62623:2013 measurement methodo	ology				
(r)	Description of how sl	eep and/or off mode was selected or programmed:					
	В	y selecting sleep and/or off mode thru Windows	operating system				
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:						
	refe	er to power management, 10mins automatically re	eaches sleep mode				
(t)		te condition before the computer automatically researched the applicable power demand requirement		5			
(u)	Length of time after	r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA			
(v)		re the display sleep mode is set to activate after		5			
(w)		nergy-saving potential of power management function					
	User informa	tion described in User Guide and Power Manage	r under menu in all programs				
(x)	User information on I	now to enable the power management functionality:					
	User informat	tion described in User Guide and Power Manager	under menu in all programs				
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in sting:					
		230V, 50GHz, Total Harmonic Distortion	1 <2 %				
Addition	nal Notebook Batter	v Information:					
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)					
Internal/l	built-in Battery						
External	detachable Battery						
Bios Bac	ckup Battery						
Other:	Other:						
Additiona	Additional information						
-							
)							

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitiwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.