



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs	Lenovo
e-mail address	Alvin L Carter	LEI IOVO,
	<u>alcarter@lenovo.com</u>	
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	nts given in this declaration.					
Type of product *	Notebook					
Commercial name *	Lenovo V14 G4 IRU					
Model number *	83A0					
Issue date *	2023-4-3					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nur	nber *	83A0	Logo	Long	21/0	
Issue date	*	2023-4-3		Lend		TH.
	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*		do not contain Asbestos (see legal reference).		\boxtimes		
D4 0*		nt: Legal reference has no maximum concentration value.				
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride 1 1 1	\boxtimes	Ш	
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
		ation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	\boxtimes		
		(PCT) in preparations (see legal reference).				
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	ie 🔀	Ш	
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above 0	,5 μg/cm²/wee	k 🔀		
		al reference).				
D4 7*		nt: Max limit in legal reference when tested according to EN1811:2011-5.	4 4\			
P1.7*		Article 33 information about substances in articles is available at (add URL or mail ovww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):		Ш	
P2	Batterie	S				
P2.1*		educt contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	ium. (See lega	ıl 🔀		
P2.3*		and accumulators are readily removable. (See legal reference)		\boxtimes	П	П
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg	al reference).		П	П
		laration of Conformity can be requested at (add link or e-mail address):				
		vww.lenovo.com/us/en/compliance/eu-doc for EU;				
	https://v	vww.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2*		duct complies with the Eco design requirements for energy-related products,		\boxtimes		
	` 0	al reference). I information is;		\boxtimes		
	Required	*			ш	ш
	https://u					
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	, cadmium ar	nd 🔀		
	hexavale	ent chromium by weight of these together.				
P5.2*	The pack	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).	of the material(s) 🔀		
P5.3*	The proc	duct packaging material is free from ozone depleting substances as specified in the N	Montreal Protoc	ol 🔀		
		al reference). nt: Legal reference has no maximum concentration values.				
P6		nt information				
		on for recyclers/treatment facilities is available (see legal reference).		\square		
. 5.,	ommati	5 15 15 15 15 16 1				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	83A0	Logo	Lond	21/0	
Issue da	ite *	2023-4-3		Lend	JVO.	
Produc		mental attributes - Market requirements (See General NOTE GN		.		
Item		nmental conscious design tory to fill in. Additional information regarding each item may be found under P14.		Requiren Yes		
P7		Disassembly, recycling		res	No	n.a.
P7.1*		at have to be treated separately are easily separable		\square		$\overline{\Box}$
P7.2*		naterials in covers/housing have no surface coating.				Ħ
P7.3*		arts > 100 g consist of one material or of easily separable materials.				+
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			$\overline{}$	+
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly	available tools.		H	∺
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			H	十
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives		\square		$\overline{\Box}$
P7.8*	Upgradir	ng can be done using commonly available tools				Ħ
P7.9	Spare pa	arts are available after end of production for: 5 years				一一
P7.10	Service i	s available after end of production for: 5 years				Ħ
	Material	and substance requirements				
P7.11*	Product	cover/housing material type (e.g. plastics, metal, aluminum):				
		type: Plastic:PC+ABS Material type: Fe				
P7.12		n materials of external electrical cables are PVC free.		<u> </u> _		Щ.
P7.13		n materials of internal electrical cables are PVC free.				Щ.
P7.14	weight (plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame	e retardants, and	d 💆		Ш
D7.45	more tha	chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i in 25% post-consumer recycled content.				
P7.15	as define	circuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ☐ ed in IEC 61249-2-21. (See 1NOTE B2)	_	า 📙		
P7.16	Marking:					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c				
		PA (additive), TBBPA (reactive) (See NOTE B3), Other: bisphenol A/tetrable lorohydrin polymer, CAS #: 26265-08-7	romobisphenol			
		nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4:	ents) > 25 g			
P7.18	Alt. 1 Flame r	etarded plastic parts >25g contain the following flame retardant substance:	s/preparations ir	n		
		ations above 0.1%:				
		ical name: CAS #: ical name: CAS #:				
		ical name: CAS #:				
		ical name: , CAS #:				
	Alt. 2	Languifications of flame retardants in plastic parts >2Eg according ISO 1042 4				
	FR(40)	Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:		\square		
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which	h have been	\square		+
17.19		I the following Risk phrases; and Hazard statements: H411;H413	ITTIAVE DEETI		Ш	Ш
		ce(s) for these classifications is/are found at (add URL(s)): European Coun	ncil Directive			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):		\boxtimes		
	a) Of t	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten- centage of total plastic by weight) is 2.24% for 30%PCC adapter, 6.02% for 90% is		3		
	or b) The	weight of recycled material is 12.55g For 30% PCC;33.55g For 90% PCC.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	83A0	Logo	Lanava
Issue date *	2023-4-3		rei iovo"

Product environmental attributes - Market requirements (continued)	Requir	remen	t met
Item	Yes	No	n.a.

		stance requirements				
P7.21*	Biobased plastic m	naterial content is use	d in the product (See	NOTE B7):		
	 a) Of total plasti 	c parts' weight > 25 g		wered; material content (calcul	lated as a percentage of	
	or	y weight) is 0 %).			
		the biobased plastic	material is g.			
P7.22*	Light sources are f	ree from mercury, i.e	. less than 0,1 mg/lam	p.		
Do		specify: Number of la	mps: and maxi	mum mercury content p	per lamp: mg	
P8 P8.1*	Batteries	omnocition: LLION D	Polymer battery and li	ithium motal battami		
	<u>.</u>		orymer battery and n	unum-metar battery		
P9		tion (See NOTE B8)	els or energy consump	tions one nonented.		
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy	
Lifergy inc	de	100 V AC	115 V AC	230 V AC	modes and test method *	Ш
Peak (On-	·max)	65 W	65 W	65 W	Full load	
Categor	<u>ry 1</u>					
Short Idle Enabled	State - WOL	5.25 W	5.19 W	5.07 W	ENERGY STAR Computers V8 (P _{idle})	
Long Idle Enabled	State - WOL	0.91 W	0.89 W	0.94 W	ENERGY STAR Computers V8 (P _{idle})	
Sleep (S3)) - WOL Enabled	0.91 W	0.89 W	0.94 W	ENERGY STAR Computers V8(P _{sieep})	
Off (S5) -	WOL Enabled	0.29 W	0.29 W	0.30 W	ENERGY STAR Computers V8(P _{off})	
	supply / charger plugged in the sconnected from the product.)	0.108 W	0.108 W	0.108 W		
PTEC * Typical En	ergy Consumption	W	W	W		
ETEC * Annual En	ergy Consumption	18.00 kWh/year	17.77 kWh/year	17.66 kWh/year	$E_{TEC} = (8760/1000) \times (P_{\text{off}} \times 0.25 + P_{\text{sleep}} \times 0.35 + P_{\text{long_Idle}} \times 0.10 + P_{\text{short Idle}} \times 0.30)$	
		P _{off} : Off Mode(S5) - W	OL Enabled; Psleep: Slee	ep Mode(S3) - WOL Enab	oled; P _{idle} : Idle State - WOL Enabled	
Categor	<u>y 2</u>					
Short Idle Enabled	State - WOL	5.76 W	5.95 W	5.93 W	ENERGY STAR Computers V8	
Long Idle Enabled	State - WOL	0.89 W	0.86 W	0.91 W	ENERGY STAR Computers V8	
Sleep (S3) - WOL Disabled	0.89 W	0.86 W	0.91 W	ENERGY STAR Computers V8	
Off (S5) -	WOL Disabled	0.35 W	0.37 W	0.41 W	ENERGY STAR Computers V8	
EPS No-Io (External power wall outlet but dis	supply / charger plugged in the sconnected from the product.)	0.108 W	0.108 W	0.108 W		
PTEC *	ergy Consumption	W	W	W		
ETEC *	ergy Consumption	19.43 kWh/year	19.84 kWh/year	20.07 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long_idle} \times 0.10 + P_{short_idle} \times 0.30)$	
			· · · · · · · · · · · · · · · · · · ·		oled; Pidle: Idle State - WOL Enabled	
External P	ower Supply Efficien	cv Level (Internationa	al Efficiency Marking P	rotocol) * : VI	1	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

Display res	solution * : 2.07 m	negapixels	
Default tim	e to enter energy	save mode: 5 minutes	
P9.2*	Information abo	ut the energy save function is provided with the p	roduct.
P9.3	Energy efficience	y class (monitors only):	
P10	Emissions		·
	Noise emission	n - Declared according to ISO 9296 (See NOTE I	39)
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, L _{WA,c} (B)
	Idle	* Idle	* 2.5
	Operation	* Operation	* 4.1
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p m Am}$	19.1 (operator position desktop – idle)
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p m Am}$	32 (operator position desktop – operating)
	Measured accor	rding to: ISO 7779 ECMA-74	
		Other (only if not covered by E	ECMA-74)

Model nur	nber *	83A0				Logo	Long	1/0	
Issue date	*	2023-4-3					Leno	VO.	
Product of	environn	nental attributes	- Market requirements (co	ntinued)			Require	ment	met
Item			-	•			Yes	No	n.a.
		nagnetic emission							
P10.4	Compute program	er display meets the (s): MPR-II(3 pin A	requirement for low frequency C adapter only)	electromagnetic fields	s of the follo	wing voluntary			
P12		mics for computing							
P12.1*			nomic requirements of ISO 9241	•	• •	es.			
P12.2*	The phys	sical input device m	eets the requirements of ISO 99	995 and ISO 9241-41	0.		\boxtimes		
P13		ng and documenta							
P13.1*	Product Product Product Product	packaging material packaging material packaging material	type(s): Corrugated Double wa type(s): Corrugated single wa type(s): Corrugated Double wa type(s): Solid EPE (solid Expa type(s): LDPE (low density po type(s): PP	ll all Inded polyethylene)	weigh weigh weigh weigh	at (kg): 0.296 at (kg): 0.037 at (kg): 0.005 at (kg): 0.072 at (kg): 0.014 at (kg): 0.003			
P13.2*	Product	plastic primary pack	aging is free from PVC.				\square		П
P13.3*	consume	er recovered fiber co			ercentage o	of minimum po	ost-		
P13.4*		media for user and p ic ⊠, Paper ⊠, O	product documentation (tick box ther	r):					
P13.5	Ùser and		em if paper documentation use ation on paper media is chlorine						
	Element	hlorine-free al chlorine-free					\boxtimes		
	Processe	ed chlorine-free							
P14		ry programs							
P14.1		duct meets the requi	rements of the following volunta Criteria version: 8.0	ary program(s): Date: 2020/7/15	Product ca	ategory: 1&2			
	Eco-labe	el: EPEAT	Criteria version: 1680.1	Date: 2018/2	Product ca	ategory: Noteb	ook		
	Eco-labe		Criteria version:	Date:	Product ca	ategory:			
P15		nal information (Se							
P9			pecific configuration may vary						
	the information of the supplier information of the supplie	rmation contained r's knowledge avai tion. The informati t Representative fo	representations, guarantees, in this document. All informa lable at the time of completio on provided here is approximor more information.	tion provided by su n, and supplier shal nate and provided fo	pplier in thi I have no o r informatio	is document is bligation to up	s provided i odate such	based	on
P9			Notebooks & Tablet Computer/index.cfm?fuseaction=find			&pgw code=C	.o	_	_
	-	- 3, 3							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo V14 G4 IRU	Logo	
Model number *	83A0		Longvo
Issue date *	2023-4-3		Lenovo.
Additional information			
•			

d)	Year of manufacture:				2022
;)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
)	Etec value (kWh) per ErP Lot 3 Categorienable	ry and capability adjust	tments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16			
ents	Additional internal storage	Yes (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	N/A			
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	11.76			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);			l	A:3.42
1)	Sleep mode power demand (Watts);				A:1.24
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A:1.24
)	Off mode power demand (Watts);				A:0.32
()	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A:0.32
)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	-
	10% 20% 50%	100% Avera	age		
n)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 91.10%; 89.2	23%;89.22%;90.76%;8	9.04%;89.49%;90.94	% ;	
	*internal note: show values for all available external p	ower supplies			
0)	Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 300CYCLES				
o-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA				
o-2)	Measurement methodology used to dete	ermine information men	ntioned in points (m) –	external PSU efficienc	cv.

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 50563:2011 measurement methodology		
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:		
	EN 62623:2013 measurement methodology		
(q)	Sequence of steps for achieving a stable condition with respect to power demand::		
	EN 62623:2013 measurement methodology		
(r)	Description of how sleep and/or off mode was selected or programmed:		
	EN 62623:2013 measurement methodology		
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:		
	refer to power management, 30mins automatically reaches sleep mode		
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):	5	
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):	NA	
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):	5	
(w)	Information on the energy-saving potential of power management functionality:		
	User information described in User Guide and Power Manager under Lenovo Vantage menu in all programs		
(x)	User information on how to enable the power management functionality:		
	User information described in User Guide and Power Manager under Lenovo Vantage menu in all programs		
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:		
	230V, 50GHz, Total Harmonic Distortion <2 %		

Additional Notebook Battery Information:					
	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a		
	The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal/built-in Battery	\boxtimes				
External/detachable Battery			\boxtimes		
Bios Backup Battery					
Other:					
Additional information					

1)
The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

Korisiik ne nioże tako zamijeniu bateriju sami u ovomi proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.
Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti.

A termék akkumulatorat/akkumulatorat/a a felhasználó nem tudja egysdül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.