

ecma

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs	Lenovo			
e-mail address	Alvin L Carter				
	alcarter@lenovo.com				
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/				
Additional information	dditional information The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.								
Type of product *	Notebook							
Commercial name *	LOQ 15IRH8 / Lenovo G5000 IRH8							
Model number *	82XV							
Issue date *	2023/3/3							
Intended market *	🖾 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other							
Additional information								

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

- P4.1 P4.3 Consumable materials
- P9.1 TEC and Print speed
- P10.2 P10.3 Chemical emissions from printing products
- P11.1 P11.3 Consumable materials for printing products.

Model r	number *	82XV Logo		~	
Issue d	ate *	2023/3/3	-eno		D _m
Produc	t environm	ental attributes - Legal requirements R	lequire	ment	met
Item		0 I	Yes	No	n.a.
P1	Hazardo	ous substances and preparations			
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and ^{5NO} TE B1)			
P1.2*	Products	s do not contain Asbestos (see legal reference).			
	Comme	nt: Legal reference has no maximum concentration value.			
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /l (PCT) in preparations (see legal reference).			
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the intaining at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*		Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure			
P2	Batterie	S			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal e)			
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)			
P3	Conform	nity verification & Eco design (ErP)			
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). Idaration of Conformity can be requested <i>https://www.lenovo.com/us/en/compliance/eu-doc for</i> <i>ps://www.lenovo.com/us/en/compliance/uk-doc for UK</i>			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).			
	Require	d information is; ⊠ given in item P15 or added to this document, ⊠available at (add URL): <i>https://www.lenovo.com/us/en/compliance/eco-declaration</i>			
P5	Product	packaging			
P5.1*	•	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium and ent chromium by weight of these together.			
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature of the material(s) be legal reference).			
P5.3*	(see leg	duct packaging material is free from ozone depleting substances as specified in the Montreal Protocol al reference). nt: Legal reference has no maximum concentration values.			
P6	Treatme	nt information			
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).			

Annex B1 of ECMA-370 5th edition (Lenovo) 2015-04-08

⁵ NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	82XV					L	ogo	Lon	~	
lssue da	ate *	2023/3/3							Len	ove)
Product	t environn	nental attributes -	Market re	equirements	(See Gene	eral NOTE 6GN	below)				
	- Enviro	nmental conscious	design						Require	nent n	net
Item	*=manda	tory to fill in. Additio	nal inform	ation regardir	ng each item	may be found und	der P14.		Yes	No	n.a.
P7		Design, Disassembly, recycling									
P7.1*	Parts the	at have to be treated	d separate	ly are easily s	separable						
P7.2*	Plastic n	naterials in covers/h	ousing hav	ve no surface	e coating.					\square	
P7.3*	Plastic p	arts > 100 g consis	t of one ma	aterial or of e	asily separab	le materials.					
P7.4*	Plastic p	arts > 25 g have ma	aterial code	es according	to ISO 11469	ereferring ISO 104	43-4.				
P7.5	Plastic p	arts are free from m	netal inlays	or have inlag	ys that can be	e removed with co	mmonly ava	ailable tools.			
P7.6*	Labels a	re easily separable.	(This requ	uirement doe:	s not apply to	safety/regulatory	labels).				
	Product	lifetime									
P7.7*	Upgradi	ng can be done e.g.	with proce	essor, memor	ry, cards or d	rives					
P7.8*	Upgradii	ng can be done usir	ig commor	nly available t	tools						
P7.9		arts are available af	•								
P7.10		is available after en									
1 7.10		and substance re	•	,							
P7.11*		cover/housing mate			metal alumin	nm).					
	-	type: Plastic		Material ty		ann).	Material t	vpe:			
P7.12		n materials of exter	nal electric	,	•			,			
P7.13	Insulatio	n materials of interr	al electrica	al cables are	PVC free.						
P7.14	External	plastic casing/cove	r parts > 2	5 a contain r	no more than	0.1% weight (100	ord (mag 0	mine and 0.1	%		
	weight (1000 ppm) chlorine I chloride or 0,3% we	attributab	le to bromin	ated flame re	etardants, chlorina	ated flame r	retardants, ar	nd		
	more that	an 25% post-consur	ner recycle	ed content.		0 (11)			Ŭ		
P7.15		circuit boards, PCBs ed in IEC 61249-2-2			are low haloo	gen: all 🔀 PCBs	> 25 g 🗌 a	are low haloge	en 🗌		
P7.16	Flame re	etarded plastic parts >PC+ABS-TD15F	> 25 g in		sings are mar	ked according ISC	D 1043-4:				
P7.17		hemical specificatio		e retardants in	n printed circi	uit boards > 25 g (without com	ponents):			
	Птвв	PA (additive), 🔀 TB	BPA (read	tive) (See NO	ОТЕ ВЗ),🔀	Other: Cross-linke	ed				
	Phenox	yphosphazene、9,	10-Dihydı	ro-9-oxa-10-j	phosphaphe	nanthrene 10-ox	ide CAS #:	260408-02-4	.		
	35948-2	5-5									
	Alt. 2: C	hemical specificatio	ns of flame	e retardants ir	n printed circ	uit boards (without	t componen	ts) > 25 g			
		ig ISO 1043-4: FR(1				`	•				
P7.18		lame retarded plast rations above 0,1%:	•	25 g contain	the following	flame retardant s	substances/	preparations	in 🗌		
	-		CAS #:		NOTE B4)		100 4040				
D7 40		hemical specificatio									
P7.19		c parts > 25 g, flame		-			sea which h	ave been		\square	
	-	d the following Risk			Hazard staten		10				
	The sou	rce(s) for these clas	sifications	is/are found	at (add URL	_(s)): ,	(Se	ee note B5)			

⁶ GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

⁷ NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

P7.20*	Postconsumer recycled plastic material content is used in the product (See Note ^{8B} 6):		
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %.		
	or b) The weight of recycled material is g.		

⁸ NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

THE ECO DECLARATION

Model nu	mber *	82XV				Logo			
Issue date	e *	2023/3/3					Len	ovo)
Product e	nvironme	ental attri	butes - Market requi	irements (continued)		• •	Requir	ement	met
Item							Yes	No	n.a.
			tance requirements						
P7.21*	Biobase	d plastic m	aterial content is used	in the product (See No	OTE ^{9B} 7):				
	If YES; a	t least one	e of the two alternative	s below shall be answe	ered;				
	a) Of	otal plastic	parts' weight > 25 g,	the biobased plastic m	aterial content (calcula	ited as a percentage o	F		
	tota	total plastic by weight) is %.							
	or								
			the biobased plastic n						
P7.22*	-		-	less than 0,1 mg/lamp.					
P8	If mercu		specify: Number of lan	nps: and maximi	um mercury content pe	er lamp: mg			
P8.1*			omposition: <i>Li-polyme</i>	or .				1	
P9	-		ion (See NOTE ^{10B8})	-1					
P9.1				s or energy consumption	one are reported:		1		
Energy mc			Power level at	Power level at	Power level at	Reference/Standard	for e	nergy	
Energy me			100 V AC	115 V AC	230 V AC	modes and test met		norgy	
Peak (On-	max)		170 W	170 W	170 W	Full load			
Categor	<u>y 2</u>								
Short Idle Enabled	State - W	OL	14.84W	15.09W	15.37W	Use for ENERGY STAR V8 registration (P _{idle})			
Long Idle Enabled	State - W	OL	3.29 W	3.54 W	3.65W	Use for ENERGY STAR V8 registration (P _{idle})			
Sleep (S3)) - WOL E	nabled	1.14 W	1.15 W	1.14 W	Use for ENERGY S registration (P _{idle})	TAR V8		
Off (S5) -	WOL Enal	bled	0.29W	0.29W	0.31 W	Use for ENERGY S registration (P _{idle})	TAR V8		
EPS No-lo (External power wall outlet but dis	supply / charger		0.061 W	0.063 W	0.086 W				
PTEC * Typical En	ergy Cons	umption	W	W	W				\square
ETEC * Annual Energy Consumption		46.00 kWh/year	46.92 kWh/year	47.75 kWh/year	$E_{TEC} = (8760/1000) \pm P_{Sleep} \times 0.35 \pm P_{Ion}$ $P_{Short \ Idle} \times 0.30)$				
			Poff: Off Mode(S5) - WC	DL Enabled; P _{sleep} : Sleep	Mode(S3) - WOL Enable		L Enabled	1	
External P	ower Supp	ly Efficien		Efficiency Marking Pro					
Display res	solution * :	2560*144	0 megapixels						
. ,			ve mode: 15 minutes						
P9.2*				on is provided with the	product.	1			<u> </u>
P9.3			lass (monitors only):						
		j e	(

⁹ NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

¹⁰ NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

P10	Emissions	Emissions Provide the second sec						
	Noise emission							
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, Lw	_{A,c} (B)				
	Idle	* Idle	* 2.7					
	Operation	* CPU Operating	* 3.4					
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p{ m Am}}$	21.7 (operator position desktop – idle)					
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p{ m Am}}$	m 27.5 (operator position desktop – operating)					
	Measured acco	Measured according to: 🛛 ISO 7779 🖾 ECMA-74						
		Other (only if not covered by ECMA-74)						

Model nu	imber *	21JE ; 83B9					Logo		one		
Issue dat	te *	2023/1/16							enc		TH
Product	environme	ental attributes - I	Market requirements	(continu	ed)			Re	equire	ment	met
Item									Yes	No	n.a
	Electron	nagnetic emissior	ıs								
P10.4	Compute	er display meets the	e requirement for low fro	equency e	electromagnetic fiel	ds of the follo	wing volunt	ary	\boxtimes		
	program	(s):									
P12	Ergonor	nics for computin	g products								
P12.1*	The disp	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.							\boxtimes		
P12.2*	The phys	sical input device m	neets the requirements	of ISO 99	95 and ISO 9241-4	10.				\square	
P13	Packagi	ng and document	ation					I			
P13.1*			type(s): single layer c	-	•	, , , ,): 0.405				
	Product packaging material type(s): <i>Tracing paper</i> weight (kg): 0.005 Product packaging material type(s): Ocean-bound plastic bag weight (kg): 0.015										
			type(s): Ocean-bound type(s): polyethylene		• • • • • •						
P13.2*			kaging is free from PVC		weight (kg). U.	/15			\square		
P13.3*					aif the contained	november of	£	maat			
P13.3"	· ·	er recovered fiber c	jated fiberboard packa ontent: <mark>85</mark> %	ging, spe	city the contained	percentage o	of minimum	post-			
P13.4*		pecify media for user and product documentation (tick box):									
	Elect	ronic, 🛛 Paper, 🗌	Other								
P13.5	(Please only complete this item if paper documentation used)								_		
	User and product documentation on paper media is chlorine-free:										
	If Yes, p	ease specify:									
	Totally c	hlorine-free									
	Elementa	al chlorine-free									
	Processe	ed chlorine-free									
P14	Volunta	ry programs									
P14.1	The proc	luct meets the requ	irements of the followir	ng volunta	iry program(s):						
	ENERG	Y STAR®	Criteria version:		Date:	Product ca	ategory:				
	Eco-labe	-	Criteria version:		Date:	Product ca					
	Eco-labe	l:	Criteria version:		Date:	Product ca	ategory:				
	Criteria v	version:	Date:		Product category	y:					
P15	Addition	al information (Se	ee ^{12NO} TE ^{13B10})								
P 9			pecific configuration								
		NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding								-	
			l in this document. All								l on
			ilable at the time of co ion provided here is a								ovo
			or more information.					200 01/1	,	0//	
P 9			Notebooks & Tablet	Compute	rs for the latest in	formation:					
		•••	v/index.cfm?fuseactic				&pgw_cod	e=CO			

12

¹³ NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	<u>P1.1</u>
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *	P2.1, P2.2, P2,3, P8.1
* These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	<u>P3.1</u>
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	LOQ 15IRH8 / Lenovo G5000 IRH8	Logo
Model Number	82XV	Lenovo
Issue Date	2023/3/3	Lenovo.
Additional information		

P7.1.1 P	Product environmental attributes							
(d)	Year of manufacture:				2023			
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with		••	• .	cards (dGfx) are			
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (d enable							
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)			
	Memory over base [GB]			32				
ents ting	Additional internal storage	(Yes / No)	(Yes / No)	Yes (Yes / No)	(Yes / No)			
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)			
	Discrete Audio Card	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)			
	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	No #: (Yes / No)	#: (Yes / No)			
	Category of discrete graphics Card(s)			С				
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)			12.20				
Testr	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled							
g)	Idle state power demand (Watts);	1			3.65			
h)	Sleep mode power demand (Watts);				1.14			
i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		1.14			
j)	Off mode power demand (Watts);				0.31			
(k)	Off mode with WOL enabled power dem	nand (Watts) (where en	abled);		0.31			
(I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):				
	10% 20% 50%	100% Avera	age					
m)	External power supply efficiency (if appl Average active efficiency: 90.80% COM	,			· ·			
o)	*internal note: show values for all available external p Minimum number of loading cycles that		tand (applies only to r	notebook computers):	300			
p-1)	Measurement methodology used to dete		())	. ,				

(p-2)	Measurement metho	Measurement methodology used to determine information mentioned in points (m) – external PSU eff EN 50563:2011 measurement methodology						
(p-3)	Measurement metho	dology used to determine information mentioned in p EN 61960 measurement methodolo	points (o) – loading cycles batteries:					
(p-4)	Measurement metho	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:						
,	power as defined in I	Point P9.1 in the Product IT Eco Declaration:	·					
		EN 61960 measurement methodolo	gy					
(q)	Sequence of steps for	or achieving a stable condition with respect to power						
(r)	Description of how s	EN 61960 measurement methodology Description of how sleep and/or off mode was selected or programmed:						
(1)		Begin menu -> Power -> Select sleep or o	off mode					
(s)	Sequence of events	required to reach the mode where the equipment au						
(0)	off mode:							
		base on User Guide						
(t)		te condition before the computer automatically r	•					
	condition which does	not exceed the applicable power demand requirement	ents for sleep mode (in minutes):	15				
(u)	Length of time after	r a period of user inactivity in which the compute	er automatically reaches a power					
()	-	ver power demand requirement than sleep mode (in		NA				
(v)	Length of time befo	re the display sleep mode is set to activate after	user inactivity (in minutes):	5				
()				Ŭ.				
(w)	Information on the er	nergy-saving potential of power management functio Refer to User Guide	nality:					
(x)	User information on	how to enable the power management functionality:						
(X)		Refer to User Guide						
(Z)	Test parameters for	measurements: — test voltage in V and frequency in	Hz, — total harmonic distortion of					
		system, - information and documentation on the in						
		230V, 50Hz, Total Haemonic Distortion	n <2%					
Addition	al Notebook Batter	y Information:						
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a				
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾						
Internal/b	uilt-in Battery							
External/o	letachable Battery							
Pice Pack	kup Battery							
DIUS DACI	кир вашегу							
Other:								
Additiona	information							
L								
) he battervlies]	in this product cannot be e	asily replaced by users themselves.						
		родукт не може да се замени[ят] лесно от самите потребите	пи.					
		er sustituidas fácilmente por los propios usuarios. neměli provádět sami uživatelé.						
,	, ,	teriet/batterierne i dette produkt.						
er Akku/die Ak	kus dieses Produkts kann/	können nicht ohne weiteres vom Benutzer selbst ausgetauscht v	verden.					
	a selle toote akut/akusid ise στο ποοϊόν αυτό δεν μπορ	e hõlpsasti asendada. ιούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες						
		it ne peuvent être facilement remplacée(s) par les utilisateurs et	ux-mêmes.					
	te lako zamijeniti Bateriju sa	•						
	atterie in questo prodotto no var nomainīt šā ražojuma a	n può/possono essere facilmente sostituita/e dall'utente. kumulatoru(-us).						
io gaminio bat	erijos [baterijų] pats vartoto	jas negali lengvai pakeisti.						
		elhasználó nem tudja egyedül egyszerűen kicserélni. /jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.						
		t erstattes av brukerne selv.						
e batterij(en) i	n dit product is (zijn) door d	e gebruiker niet gemakkelijk vervangbaar.						
•	• •	wymienić baterii w tym produkcie. ser facilmente substituídas pelos próprios utilizadores.						
		e (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.						
	mto výrobku nemôže vymie							
aterij/daterije \	i lemi izdelku uporabniki sal	mi ne morejo zlahka zamenjati.						

Tämän tuoteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.