

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

## Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LEI IOVO.
	alcarter@lenovo.com		
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/		
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Desktop				
Commercial name *	ThinkCentre M70t Gen 4				
Model number *	12DK,12DL,12DU,12DV,12FH,12KG, 12DK,12DL,12DU,12DV,12FH,12KG				
Issue date *	2023/3/23				
Intended market *	🛛 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information	ES8.0 (12DK,12DL,12DU,12DV,12FH,12KG), TCO9.0				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	12DK,12DL,12DU,12DV,12FH,12KG, 12DK,12DL,12DU,12DV,12FH,12KG Logo			
lssue da	ate *	2023/3/23	Leng	JVC	<b>)</b>
	t enviror	mental attributes - Legal requirements	Require		
Item			Yes	No	n.a.
P1		ous substances and preparations			
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\square$		
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	$\square$		
P1.3*	hydrobr trichlorc	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the source of the so	ne 🔀		
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	$\boxtimes$		
P2	Batterie	95			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	$\square$		
P2.2*	Batterie referend	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legace)	al 🔀		
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)	$\boxtimes$		
P3	Confor	nity verification & Eco design (ErP)			
P3.1*	The pro The De https://	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at: www.lenovo.com/us/en/compliance/eu-doc for tps://www.lenovo.com/us/en/compliance/uk-doc for UK			
P3.2*		duct complies with the Eco design requirements for energy-related products,	$\square$		
	(see leg	al reference).			-
	Require	d information is; 🛛 🛛 given in item P15 or added to this document,	$\square$		
		available at: https://www.lenovo.com/us/en/compliance/eco-			
	declara				
P5		t packaging			
P5.1*	hexaval	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium a ent chromium by weight of these together.			
P5.2*	used (s	kaging materials are marked with abbreviations and numbers indicating the nature of the material ee legal reference).			
P5.3*	(see leg	duct packaging material is free from ozone depleting substances as specified in the Montreal Protoc al reference). nt: Legal reference has no maximum concentration values.	iol 🔀		
P6		ent information			
P6.1*	Informat	ion for recyclers/treatment facilities is available (see legal reference).	$\square$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	imber *	12DK,12DL,12DU,12DV,12FH,12KG, 12DK,12DL,12DU,12DV,12FH,12KG	Logo	Lon		
Issue dat	te *	2023/3/23		Len		тн
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
	- Enviro	onmental conscious design		Require		net
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7 P7.1*		Disassembly, recycling at have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.			<u> </u>	
P7.3*					<u> </u>	
P7.3		arts > 100 g consist of one material or of easily separable materials.			<u> </u>	
	•	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	wailable teele		<u> </u>	<u> </u>
P7.5	•	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		<u>Ц</u>	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).				
P7.7*		lifetime ng can be done e.g. with processor, memory, cards or drives				
P7.8*		ng can be done using commonly available tools			<u> </u>	
P7.0						<u> </u>
		arts are available after end of production for: 5 years				
P7.10		s available after end of production for: 5 years				
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):				
F 7.11		type: ABS Material type (e.g. plastics, metal, adminum). Material type: PC+ABS Materia	al type:			
P7.12		n materials of external electrical cables are PVC free.			$\boxtimes$	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.		<u> </u>		$\exists$
P7.14	weight ( polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bi 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine ir in 25% post-consumer recycled content.	e retardants, and	1 <b>-</b>		
P7.15	Printed of	arcuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ad in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	ו 🗌	$\square$	
P7.16	Marking:				$\square$	
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	omponents):	$\boxtimes$		
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance rations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	s/preparations ir			$\square$
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043				$\square$
P7.19	assigned	c parts > 25 g, flame retardant substances/preparations above 0,1% are used which d the following Risk phrases; and Hazard statements: rce(s) for these classifications is/are found at (add URL(s)): , (See	n have been note B5)			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):	*	$\boxtimes$		
	a) Of t per or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material content centage of total plastic by weight) is $50.19$ %. e weight of recycled material is 194.2 g.	t (calculated as a			-

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

тн
)

Item

Requirement metYesNon.a.

	Material and subs	tance requirements	(continued)					
P7.21*	Biobased plastic m	aterial content is used	d in the product (See N	OTE B7):		]		
	a) Of total plastic total plastic by	c parts' weight > 25 g,	es below shall be answ the biobased plastic m		ated as a percentage of			
1	or b) The weight of	the biobased plastic r	material is g.					
P7.22*	Light sources are f		less than 0,1 mg/lamp	ium mercury content p	er lamp: mg	]		
P8	Batteries				i anpi ng			
P8.1*	Battery chemical c	omposition: Lithium	Manganese Dioxide		$\mathbf{X}$	1		
P9	Energy consumption (See NOTE B8)							
P9.1			s or energy consumpti					
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	]		
Peak (On-	max)	W	W	W	Full load			
<b>Categor</b>	y -12-							
Short Idle Enabled	State - WOL	13.9W	14.6W	13.9W	ENERGY STAR Computers V8 (P <sub>idle</sub> )			
Long Idle Enabled	State - WOL	9.9W	11.9W	12W	ENERGY STAR Computers V8 (P <sub>idle</sub> )			
Sleep (S3)	- WOL Enabled	1.9W	1.9W	1.9W	ENERGY STAR Computers V8 (P <sub>sleep</sub> )			
Off (S5) - I	WOL Enabled	0.7W	0.7W	0.7W	ENERGY STAR Computers V8 (P <sub>off</sub> )			
Categor	<u>y -D2-</u>							
Short Idle Enabled	State - WOL	25.5W	21 W	25.5W	ENERGY STAR Computers V8 (P <sub>idle</sub> )			
Long Idle Enabled	State - WOL	<b>21</b> W	17.3 W	20.7W	ENERGY STAR Computers V8 (P <sub>idle</sub> )			
Sleep (S3)	- WOL Enabled	1.3W	1.3 W	1.3W	ENERGY STAR Computers V8 (P <sub>idle</sub> )			
Sleep (S3)	- WOL Disabled	0.7W	0.7W	0.7W	ENERGY STAR Computers V8(P <sub>off</sub> )			
ETEC * Annual Ene	ergy Consumption	<b>12 55.4</b> kWh/year	12 57 kWh/year	<b>12 53.5</b> kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45)$ + $P_{sleep} \times 0.05 + P_{long_ldle} \times 0.15 +$	]		
1		D2 91.6 kWh/year	D2 76.6 kWh/year	D2 91.3kWh/year	P <sub>short_ldle</sub> x 0.35) - Enabled; P <sub>idle</sub> : Idle State - WOL Enabled			
External Pr	ower Supply Efficien	cy Level (International	Efficiency Marking Pro	otocol) * :		1		
Display res		egapixels	. 3	•				
Default tim		ve mode: 25 minutes				1		
P9.2*	0,		on is provided with the	product.		í		
P9.3		lass (monitors only):	•	•		i		
	., ,	·				<u>.</u>		

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

P10	Emissions				
	Noise emission	on – Declared according to ISO 9296 (See NOTE	B9)		
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, L <sub>WA,c</sub> (B)		
	ldle	* HDD:Idle	* 3.2		
	Operation	* HDD: Operating	* 3.6		
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p\rm Am}$	21.9 (operator position desktop – idle)		
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p\rm Am}$	25.6 (operator position desktop – operating)		
	Measured according to: ISO 7779 ECMA-74				
		Other (only if not covered by B	ECMA-/4)		

Model nu				1207,1251	1, 1 ZNG, 1 ZL	νη, 12DL,	1200,1200,	12FH,12KG	Logo	Lenc	VO	
ssue dat	te *	2023/3	3/23							Lenc		μ <sup>1</sup>
Product	environ	mental	attributes	- Market ı	requireme	nts (cor	tinued)			Require	ment	me
ltem										Yes	No	n.a
			ic emission									
P10.4			y meets the	requiremer	nt for low free	quency e	ectromagne	tic fields of the fo	llowing voluntar	у 🗌		$\boxtimes$
P12	program		r computing	nroducto								
P12.1*					ements of IS	SO 9241-	307 for visua	al display technol	ogies			$\square$
P12.2*			ut device me						-9		$\dashv$	
P13			documenta									
P13.1*	Produc Produc Produc	t packagi t packagi t packagi	ng material f ng material f ng material f ng material f	ype(s): Con ype(s): LD ype(s): Con	PE rrugated sin	ngle wall	We	eight (kg): <b>0.98</b> eight (kg): <b>0.265</b> eight (kg): <b>0.047</b> <b>051</b>				
P13.2*			primary pack							$\boxtimes$		
P13.3*			mary corruga ered fiber co			ing, spec	cify the cont	ained percentag	e of minimum			
P13.4*	Specify	/ media fo	or user and p			tick box):						
P13.5	Ùser ai If Yes, Totally Elemer		free ne-free									
P14	Volunt	ary prog	rams									
P14.1			ets the requi	rements of	the following	ı voluntar	y program(s	):				
	ENER( Eco-lat Eco-lat		®	Criteria ve Criteria ve Criteria ve			Date: 2023 Date: Date:	Product	t category: <b>Desl</b> t category: t category:	(top		
P15			rmation (Se	-		2DK,12		OV,12FH,12KG)				
<b>P</b> 9	Energy	/ consun	nption of sp					of the tested p		ration:		
	Test item	Categor y	CPU	Memory	HDD	SSD	Graphics	power supply	y Sleej	o mode		
	12DK	I2 D2	15-13500	128GB	2TB 3.5"HDD 1TB 2.5 HDD	2T/M.2	GTX3050	260W	<b>S</b> 3			
50	the inf suppli inform Accou	ormation er's know ation. Th nt Repre	i contained vledge avail le informations sentative fo	in this doc lable at the on provide r more info	ument. All i time of cor d here is ap ormation.	informati npletion proxima	on provided , and suppli te and prov	or warranties w d by supplier in er shall have no ided for informa	this document o obligation to a ational purpose	is provided update such	based	l on
<b>P</b> 9								est information: owProductGrou		CO		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

# Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkCentre M70t Gen 4	Logo
Model Number	12DK,12DL,12DU,12DV,12FH,12KG, 12DK,12DL,12DU,12DV,12F H,12KG	Lenovo
Issue Date	2023/3/23	
Additional information	ES8.0 (12DK,12DL,12DU,12DV,12FH,12KG), TCO9.0	

d)	year of manufacture:				2021		
e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.						
f)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	ments applied when <b>a</b>	II discrete graphics o	cards (dGfx) are		
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
	Memory over base [GB]				128		
ents ting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	Yes (Yes / No)		
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)		
ability a lied du	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)		
cap; app	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	Yes #: (Yes / No)		
	Category of discrete graphics Card(s)				G3		
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)						
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				95.16		
g)	Idle state power demand (Watts);			I	D:26.08		
h)	Sleep mode power demand (Watts);				D:1.38		
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		D:1.35		
j)	Off mode power demand (Watts);				D:0.66		
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		D:0.66		
I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):			
	D:10% 89.74% 20% 92.24% 50% 9	<b>1.45%</b> 100% <b>87.99%</b>	Average 90.64%				
m)	External power supply efficiency (if appli	cable)*:					
	Average active efficiency:						
- )	*internal note: show values for all available external p		hand (ann lian an hata a				
o) p-1)	Minimum number of loading cycles that Measurement methodology used to dete		tioned in points (I) – ir		NA		
p-2)	Measurement methodology used to dete	rmino information mon	tioned in points (m)	external PSI Lefficienc	2.4		

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: NA	
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:	
	refer to IEC62623:2013-Desktop and notebook computers-Measurement of energy consumption	
(q)	Sequence of steps for achieving a stable condition with respect to power demand:	
	Based on user manual/Power on->Wait 5 minutes->Stable condition	
(r)	Description of how sleep and/or off mode was selected or programmed:	
	Based on user manual-Set power button behaviors	
	Set power button behaviors	
	You can define what the power button does according to your preference. For example, by pressing the power button, you can turn off the computer or put the computer to sleep or hibernation mode.	
	To change what the power button does:	
	1. Go to Control Panel and view by large icons or small icons.	
	2. Click Power Options → Choose what the power buttons do.	
	3. Change the settings as you prefer.	
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:	
	Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan	
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):	25
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):	NA
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):	10
(w)	Information on the energy-saving potential of power management functionality:	
	NA	
(x)	User information on how to enable the power management functionality:	
	Based on user manual-Set the power plan	
	Set the power plan	
	For ENERGY STAR <sup>®</sup> compliant computers, the following power plan takes effect when your computers have been idle for a specified duration:	
	Table 1. Default power plan (when plugged into ac power)	
	Turn off the display: After 10 minutes	
	Put the computer to sleep: After 25 minutes	
	To awaken the computer from Sleep mode, press any key on your keyboard.	
	To reset the power plan to achieve the best balance between performance and power saving:	
	1. Go to <b>Control Panel</b> and view by large icons or small icons.	
	2. Click <b>Power Options</b> , and then choose or customize a power plan of your preference.	
1		

the		v system, — inform			Hz, — total harmonic distortion of strumentation, set-up and circuits	
		Test volta	age in V and frequen	cy in Hz: 23	0V/50Hz	
		Total harmonic o	distortion of the elec	tricity suppl	ly system: <i>≦</i> 2%	
	Instrument	Instrument	Range Used	Make and Model **		
	B63	Digital Watch	Full range	CASIO; HS-70W; SN:301Q02R		
	B100	power Meter	0~600V;0~20A	YOKOGAWA;WT310;SN:C2RD07008 V		
	C18	Ambient Monitor	-10~60 ℃ /0~100%RH	Testo;622;SN:39504298/305		
Additional No	tebook Batte	ry Information:				
		Battery[ies] <u>not</u> user replaceable			Battery[ies] user replaceable	n/a
		The battery[ies] replaced by user	in this product cannot rs themselves. 1)	ot be easily		
Internal/built-ir	Battery					
External/detac	hable Battery					
Bios Backup E	Battery					
Other:						
Additional info	rmation					
Akymynaróphara[µre] .as baterías de este p //měnu bateria/baterii/bateri/baterii/bateri/bateri/baterii/bater	Garepuя[и] Β τοзи π roducto no pueden s i v tomto výrobku by an videre udskifte ba eses Produkts kann toote akut/akusid is poïóv αυτό δεν μπος nte(s) dans ce prodi zamijeniti Bateriju s n questo prodotto na mainīt šā ražojuma a baterijų] pats vartoto živakkumulátorait a f n il-prodott ma tistax roduktet kan ikke le oduct is (zijn) door c sam w łatwy sposób produto não podern cest produs nu poda robku nemôže vymie delku uporabniki sa akut] ei[vät] ole help unden att själv byta	ser sustituidas fácilmer neméli provádět sami tteriet/batterierne i dett (können nicht ohne wei e hölpsasti asendada. boúv va αvrikartaσταθo uit ne peuvent être facil am u ovom proizvodu. on puó/possono essere akumulatoru(-us). ajas negali lengvai pake (elhasználó nem tudja e //jistgħux tiġi/jiġu sostih tt erstattes av brukerne te gebruiker niet gemal wymienić baterii w tym s ser facilmente substitu te (pol) fi uşor înlocuită	замени[ят] лесно от сами te por los propios usuarios uživatelė. e produkt. teres vom Benutzer selbst úv εύκολα από τους ίδιους lement remplacée(s) par le efacilmente sostituita/e dall eisti. gyedül egyszerűen kicsere vita/i mill-utenti stess. s selv. kdeljik vervangbaar. produkcie. uldas pelos próprios utiliza (înlocuite) de utilizatorii îns amenjati. avissa.	ausgetauscht w τους χρήστες s utilisateurs eu l'utente. élni. dores.	verden.	