



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs	1	Lenovo
e-mail address	Alvin L Carter		LCIIOVO
	alcarter@lenovo.com		
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/		
Additional information	The latest version of this document can be found at:		_
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Desktop computer				
Commercial name *	ThinkCentre neo 50q Gen 4				
Model number *	12LM, 12LN, 12LQ, 12LR, 12LW, 12LX, 12LY, 12M0				
Issue date *	2023/3/15				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information	CEL.ES8.0(12LM,12LN,12LQ,12LR),TCO9.0				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	umber * 12LM, 12LN, 12LQ, 12LR, 12LW, 12LX, 12LY, 12M0  tet * 2023/3/15  Logo						
Issue date	e *	2023/3/15			Lenc	JVO	) <sub>TH</sub>
<b>Product</b>	environ	mental attributes -	Legal requirements		Require	ment	met
Item					Yes	No	n.a.
P1		ous substances and					
P1.1*			nt European RoHS Directive. (See legal reference and NOTE	E B1)	$\boxtimes$		
P1.2*			tos (see legal reference). s no maximum concentration value.		$\boxtimes$		
P1.3*			e Depleting Substances: Chlorofluorocarbons (CFC),		$\square$		
	hydrobro trichloro concentr	omofluorocarbons (HB ethane, methyl bromid ration values.	FC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrache (see legal reference). Comment: Legal reference has no n	naximum			
P1.4*			than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych s (see legal reference).	lorinated	$\boxtimes$		
P1.5*	Products	do not contain more	than 0,1% short chain chloroparaffins (SCCP) with 10-13 car per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	ie 🔀		
P1.6*	(see lega	al reference).	d skin contact do not release nickel in concentrations above ( ference when tested according to EN1811:2011-5.	),5 μg/cm²/wee	k 🔀		
P1.7*	REACH	Article 33 information	about substances in articles is available at (add URL or mail en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie						
P2.1*			y or an accumulator, the battery/accumulator is labeled with disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*	Batteries referenc		ot contain more than 0,0005% of mercury or 0,002% of cadn	nium. (See lega	al 🔀		
P2.3*	Batteries	s and accumulators are	e readily removable. (See legal reference)		$\boxtimes$		
P3	Conform	nity verification & Ec	o design (ErP)				
P3.1*	The Dec	laration of Conformity www.lenovo.com/us/	how conformance with applicable legal requirements (see legal because the can be requested at (add link or e-mail address):    concompliance/eu-doc for EU;	gal reference).			
P3.2*	The prod		Eco design requirements for energy-related products,		$\boxtimes$		
		d information is;	given in item P15 or added to this document,		$\boxtimes$		
			available at (add URL): <a href="http://www.lenovo.com/ecode">http://www.lenovo.com/ecode</a>	<u>claration</u>			
P5	Product	packaging			. 🗖		
P5.1*		ng and packaging co ent chromium by weigl	mponents do not contain more than 0,01% lead, mercur nt of these together.	y, cadmium ai	nd 🔀		
P5.2*	used (se	ee legal reference).	narked with abbreviations and numbers indicating the nature		, 2		
P5.3*	(see lega	al reference).	al is free from ozone depleting substances as specified in the l	Montreal Protoc	ol 🔀		
P6		nt information					
P6.1*			nent facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	12LM, 12LN, 12LQ, 12LR, 12LW, 12LX, 12LY, 12M0	Logo	Lon	27/6	1
Issue dat	te *			Len	OVC	<b>)</b> <sub>TM</sub>
Product		mental attributes - Market requirements (See General NOTE GN onmental conscious design	below)	Doguiro	mont	mot
Item		tory to fill in. Additional information regarding each item may be found under P14.		Require Yes	No	n.a.
P7		Disassembly, recycling		165	INO	II.a.
P7.1*		at have to be treated separately are easily separable		$\square$	П	
P7.2*		naterials in covers/housing have no surface coating.		X	Ħ	Ħ
P7.3*		arts > 100 g consist of one material or of easily separable materials.			Ħ	X
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Ħ	X
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly	available tools.		Ħ	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			Ħ	Ħ
	Product					
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		X		
P7.8*	Upgradir	ng can be done using commonly available tools		X		
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
	Material 011(L85)		al type: PC-110			
P7.12		n materials of external electrical cables are PVC free.			$\square$	
P7.13		n materials of internal electrical cables are PVC free.		$-$ H $^{-}$	X	H
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	promine and 0.1	%		X
	weight ( polyvinyl	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants, ai	nd		
P7.15		circuit boards, PCBs (without components) are low halogen: all ☐ PCBs > 25 g ≥ ed in IEC 61249-2-21. (See 1NOTE B2)	are low halog	en 🔀		
P7.16	Flame re Marking:	starded plastic parts > 25 g in covers / housings are marked according ISO 1043-4	:			
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without o				
	TBBF	PA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO, CAS #: 359	48-25-5	X	Ш	
		nemical specifications of flame retardants in printed circuit boards (without compon	ents) > 25 g			
	accordin	g ISO 1043-4:			Ш	
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance	es/preparations	in		
		ations above 0,1%: ical name: , CAS #: (See NOTE B4)			Ш	$\boxtimes$
		ical name: , CAS #: "  CAS #: "				
		ical name: , CAS #: "				
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	13-4:			
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used whice		H	Ħ	
	assigned	I the following Risk phrases; and Hazard statements:				
	The soul	rce(s) for these classifications is/are found at (add URL(s)):	See note B5)			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):		$\boxtimes$		
	a) Of to percor	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material contents contage of total plastic by weight) is <b>27.15%</b> .	nt (calculated as	a		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	12LM, 12LN, 12LQ, 12LR, 12LW, 12LX, 12LY, 12M0	Logo	Lenovo			
Issue date *	2023/3/15		Lei IOVO.			
Product environmental attributes - Market requirements (continued) Requirement met						
Item			Yes No n.a	١.		

	Material and sub	otonoo roguiromonto	(continued)							
P7.21*		stance requirements naterial content is used	d in the product (See NC	OTE B7):						
	,	ic parts' weight > 25 g,	es below shall be answe the biobased plastic ma	,	ated as a percentage of					
	or		matarial ia							
P7.22*		The weight of the biobased plastic material is g.  this sources are free from mercury, i.e. less than 0,1 mg/lamp.								
	U	y is used specify: Number of lamps: and maximum mercury content per lamp: mg								
P8	Batteries									
P8.1*	Battery chemical of	chemical composition: Lithium Metal								
P9	Energy consumption (See NOTE B8)									
P9.1			ls or energy consumption							
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *					
Peak (On-	max)	W	W	W	Full load					
Categor	<u>y12</u>									
Short Idle Enabled	State - WOL	7.4 W	9 W	6.7 W	ENERGY STAR Computers V8 (P <sub>idle</sub> )					
Long Idle Enabled	State - WOL	6 W	6.2 W	5.6 W	ENERGY STAR Computers V8 (P <sub>idle</sub> )					
Sleep (S3)	- WOL Enabled	1.3 W	2.1 W	2 W	ENERGY STAR Computers V8(P <sub>sleep</sub> )					
Off (S5) - I	WOL Enabled	<b>0.6</b> W	0.6 W	<b>0.6</b> W	ENERGY STAR Computers V8(P <sub>off</sub> )					
EPS No-loa (External power s wall outlet but dis	ad supply / charger plugged in the connected from the product.)	W	0.0758 W	0.0696 W						
PTEC * Typical Ene	ergy Consumption	W	W	W						
ETEC *	ergy Consumption	30.6 kWh/year kWh/year	38.2 kWh/year kWh/year	<b>32.1</b> kWh/year kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.45 + P <sub>sleep</sub> x 0.05 + P <sub>long_idle</sub> x 0.15+ P <sub>short idle</sub> x 0.35)					
		P <sub>off</sub> : Off Mode(	S5) - WOL Enabled; Psleep.	: Sleep Mode(S3) - WOL	Enabled; Pidle: Idle State - WOL Enabled					
External Po	ower Supply Efficier	ncy Level (Internationa	l Efficiency Marking Pro	tocol) *:						
Display res	olution * : m	egapixels								
Default time	e to enter energy sa	ave mode: 25 minutes								
P9.2*	Information about	the energy save functi	on is provided with the	product.		Ħ				
P9.3	Energy efficiency	class (monitors only):	N/A							
P10	Emissions				·					
			o ISO 9296 (See NOTE							
P10.1		Mode description			it A-weighted sound power level, $L_{WA,c}$	(B)				
	Idle *	* HDD:Idle *		* 3.1						
	Operation *	HDD: Operating		* 3.3						
			d pressure level (dB) $L_{p m Am}$	19.7(operator posit	tion desktop – idle)					
	Other mode	Declared A-weighted soun	d pressure level (dB) $L_{p m Am}$	32.2(operator posit	tion desktop – operating)					
	Measured accordi	ng to: 🔀 ISO 7779 🗌	ECMA-74							
		Other	(only if not covered by	ECMA-74)						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nun	nber *	12LM, 12L	N, 12L	Q, 12LR, 12LW,	12LX, 12LY,	12M0			Lo	go	Lon	21/0	
Issue date	*	2023/3/15									Lenovo		тн
Product 6	environm	ental attr	ibutes	- Market requ	irements (	contin	ued)				Requir	ement	met
Item											Yes	No	n.a.
		agnetic en								<u> </u>			
P10.4	program(s	s):		e requirement for	low frequenc	cy electr	omagneti	c fields of t	he followi	ng voluntary			
P12				g products									
P12.1*			_	nomic requireme					chnologies	S.			$\boxtimes$
P12.2*				eets the requirer	nents of ISO	9995 aı	nd ISO 92	241-410.					$\boxtimes$
P13		g and doc											
P13.1*	Product p	ackaging n	naterial	type(s): LEPE type(s): Corruga type(s): PS	ated single v	vall	ght (kg): <mark>0</mark> wei ght (kg): <mark>0</mark> .	ight (kg): 0	.492				
P13.2*		-		kaging is free fro							$\boxtimes$		
P13.3*	consume	recovered	fiber c	ated fiberboard ontent: 70 %			the conta	ined perce	entage of	minimum po	ost-		
P13.4*		edia for us onic, <mark>X</mark> Pa		product documer Other	ntation (tick b	ox):							
P13.5	(Please o User and	nly comple	te this i	tem if paper docu			:					$\boxtimes$	
	Elementa	lorine-free   chlorine-fi											
	Processe	d chlorine-1	ree										
P14		/ program											
P14.1	ENERGY Eco-label	STAR®	ne requ	Criteria version Criteria version Criteria version 2012	n: <b>8.0</b>	Da	ogram(s): ate: <b>2023.</b> ate: <b>2023.</b>	<b>2.27</b> Pro		egory: <b>Deskt</b> egory: <b>Deskt</b> e			
	Eco-label	TCO		Criteria versio	n: <b>TCO9 0</b>	Da	ite:	Pro	nduct cate	egory: <b>Deskt</b>	on		
P15			ion (Se	e NOTE B10)	1. 100010				oudor ouro	gory. Doone	<del>ор</del>		
P9				pecific configur	ation may v	ary; des	cription	of the test	ed produ	ct configura	ation:		
	Project	Cert.	Cat.	CPU	Memory	HDD	SSD	Graphic s	Adapter				
	ThinkCe e neo 50 Gen 4		<b>I2</b>	intel i5- 13420H /8C/2.1GHz	Ramaxel/1 6G*2	Seaga te /1TB	SK Hynix /1TB	<i>集显</i>	Liteon 90W	PA-1900-	74FS		
200	the information supplier' information Account	nation con s knowled on. The in Represent	ntained ge ava format tative f	representation in this docume ilable at the time ion provided he or more informa	nt. All infori e of complet re is approx tion.	mation   tion, and timate a	provided d supplie and provid	by supplion shall have ded for interest.	er in this ve no obli ormation	document is igation to up	s provided pdate suci	l based h	l on
P9				Notebooks & T v/index.cfm?fus						gw_code=C	0		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Error! Reference source not found.	Logo
Model Number	12LM, 12LN, 12LQ, 12LR, 12LW, 12LX, 12LY, 12M0	Longvo
Issue Date	2023/3/15	Lenovo.
Additional information	CEL,ES8.0(12LM,12LN,12LQ,12LR),TCO9.0	

(d)	year of manufacture:				2022
e)	Etec value (kWh) per ErP Lot 3 Categ				
f)	Etec value (kWh) per ErP Lot 3 Categenable	ory and capability adjus	tments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]				32
ents	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	Yes (Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
ability a	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	No #: (Yes / No)
	Category of discrete graphics Card(s)				
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				22.23
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
(g)	Idle state power demand (Watts);	L L	ı	1	7.0709
h)	Sleep mode power demand (Watts);				1.3877
i)	Sleep mode with WOL enabled power	demand (Watts) (where	enabled);		1.2436
j)	Off mode power demand (Watts);				0.6102
(k)	Off mode with WOL enabled power de	mand (Watts) (where en	abled);		0.6058
1)	Internal power supply efficiency at 10	%, 20 %, 50 % and 100	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
m)	External power supply efficiency (if ap	plicable)*:			
	Average active efficiency:				
	10% 89 25% 88 50% 91 100% 9				
	10% 90 25% 91 50% 91 100% 8 10% 74 25% 88 50% 92 100% 9	9 Average 90 Liteon 2 Average 87 Liteon			
		2 Average 90 Delta			
	10% 87 25% 91 50% 92 100% 9	2 Average 91 Delta	ADP-65ME BA		
		3 Average 91 Delta A			
		0 Average 89 Chico 3 Average 90 Chico			
	10/0 04 20/0 90 00/0 93 100% 9	S Average 90 Chico	IIY ADL 1303CC3A		

(o)	Minimum number of loa	ding cycles that the batteries can v	withstand (applies only to notebook computers):	N/A				
(p-1)	Measurement methodol	ogy used to determine information be referencing to 80 plus	mentioned in points (I) – internal PSU efficiency: / plugload solutions					
(p-2)		ogy used to determine information to EN50563:2011 External a.cc	mentioned in points (m) – external PSU efficiency:  d.c. and a.ca.c. power supplies					
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: N/A							
(p-4)	Measurement methodol power as defined in Poi	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:						
	refer to IEC62623:2	2013-Desktop and notebook con	nputers-Measurement of energy consumption					
(q)	Sequence of steps for a	chieving a stable condition with re	spect to power demand::					
	Base	ed on user manual/Power on->W	ait 5 minutes->Stable condition					
(r)	Description of how sleep	o and/or off mode was selected or	programmed:					
	Based	on user manual/Begin menu -> l	Power -> Select sleep or off mode					
(s)	Sequence of events req off mode:	uired to reach the mode where the	e equipment automatically changes to sleep and/or					
	Based on user manu	ral/Control Panel->Power Option for this բ	s-> Change Settings-> Restore default settings olan					
(t)			utomatically reaches sleep mode, or another mand requirements for sleep mode (in minutes):	25 minutes				
(u)		Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  N/A minutes						
(v) (w)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  Information on the energy-saving potential of power management functionality:							
(w)	mormation on the energ		gernerit functionality.					
		N/A						
(x)	User information on hov	v to enable the power managemen	t functionality:					
	Please Lenovo confiri	m where or which document will power managemen	show user information about how to enable the tfunctionality.					
(z)	Test parameters for me the electricity supply sys used for electrical testin	stem, — information and documen	nd frequency in Hz, — total harmonic distortion of tation on the instrumentation, set-up and circuits					
(z)	the electricity supply sys used for electrical testin	stem, — information and documen	tation on the instrumentation, set-up and circuits  ency in Hz: 230V/50Hz					
(z)	the electricity supply sys used for electrical testin	stem, — information and documen g: Test voltage in V and frequ	tation on the instrumentation, set-up and circuits  ency in Hz: 230V/50Hz ectricity supply system: ≤2%					
(z)	the electricity supply sysused for electrical testin	stem, — information and documen g: Test voltage in V and frequinatal harmonic distortion of the elec-	tation on the instrumentation, set-up and circuits  ency in Hz: 230V/50Hz					
(z)	the electricity supply sysused for electrical testin  To  Instrument	stem, — information and documen g:  Test voltage in V and frequital harmonic distortion of the ele  Range Used	tation on the instrumentation, set-up and circuits  ency in Hz: 230V/50Hz ectricity supply system: ≤2%					
(z)	the electricity supply sysused for electrical testin  To  Instrument  Type	stem, — information and documen g:  Test voltage in V and frequital harmonic distortion of the electric Range Used  Or	ency in Hz: 230V/50Hz ectricity supply system: ≤2%  Make and Model					
(z)	the electricity supply sysused for electrical testin  To  Instrument  Type  AC Power Source	stem, — information and documen g:  Test voltage in V and frequital harmonic distortion of the ele Range Used  Or  1~280VAC; 1~550Hz; 1000VA	tation on the instrumentation, set-up and circuits  ency in Hz: 230V/50Hz ectricity supply system: ≤2%  Make and Model  Chroma;61504; SN:615040001117					
(z)	the electricity supply sysused for electrical testin  To  Instrument  Type  AC Power Source  Digital Watch	stem, — information and documen g:  Test voltage in V and frequental harmonic distortion of the electric lange Used  Or  1~280VAC; 1~550Hz; 1000VA  Full range	tation on the instrumentation, set-up and circuits  ency in Hz: 230V/50Hz ectricity supply system: ≤2%  Make and Model  Chroma;61504; SN:615040001117  CASIO; HS-70W; SN:208Q08R					
(z)	the electricity supply sysused for electrical testin  To  Instrument  Type  AC Power Source  Digital Watch  Power Meter	stem, — information and documen g:  Test voltage in V and frequental harmonic distortion of the electric lead of t	tation on the instrumentation, set-up and circuits  ency in Hz: 230V/50Hz extricity supply system: ≤2%  Make and Model  Chroma;61504; SN:615040001117  CASIO; HS-70W; SN:208Q08R  YOKOGAWA; WT310E; SN:C3SJ16035E					

Additional Notebook Battery Information:							
	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a				
	The battery[ies] in this product cannot be easily replaced by users themselves. 1)						
Internal/built-in Battery							
External/detachable Battery							
Bios Backup Battery							
Other:							
Additional information							

1)
The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

Korisiik ne nioże tako zamijeniu bateriju sami u ovomi proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.
Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti.

A termék akkumulatorat/akkumulatorat/a a felhasználó nem tudja egysdül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.