



### Annex B2 - Product environmental attributes Servers/Data Storage Products

The declaration may be published only when all rows and/or fields marked with \* are filled-in (N/A for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	)			
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	il address Alvin L Carter		LCIIOVO			
	alcarter@lenovo.com					
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Type of product * Server				
Commercial name *	name * ThinkSystem SD650-I V3 Neptune DWC Tray				
Model number *	* 7D7L				
Issue date *	Dec 7, 2022				
Intended market * ☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other <i>Australia</i>					
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *	7D7L	Logo	Lenovo.				
Issue date *	Dec 7, 2022		Lei 1000.				
Product enviro		Requirement met					
Item			Yes No N/A				
	lous substances and preparations						
	ts do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)					
	ets do not contain Asbestos (see legal reference). ent: Legal reference has no maximum concentration value.						
P1.3* Produ hydrol trichlo conce	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
	ets do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychnyl (PCT) in preparations (see legal reference).	nlorinated					
	ets do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car containing at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in t	the 🔲 🗌				
(see le	vith direct and prolonged skin contact do not release nickel in concentrations above ( gal reference). ent: Max limit in legal reference when tested according to EN1811:2011-5.	0,5 μg/cm²/wee	ek 🛛 🗌				
P1.7* REAC	H Article 33 information about substances in articles is available at (add URL or mail //www.lenovo.com/us/en/Lenovo-REACH-SVHC-	contact):					
P2 Batter							
	roduct contains a battery or an accumulator, the battery/accumulator is labeled with I. Information on proper disposal is provided in user manual. (See legal reference)	the disposal					
P2.2* Batter refere	es or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn lice)	nium. (See leg	al 🗌 🗌				
P2.3* Batter	es and accumulators are readily removable. (See legal reference)						
P2.4* Docur	entation includes the number of cycles the (secondary) battery can withstand. (See	legal reference	<del>)</del>				
	nternal batteries of a notebook computer cannot be "accessed and replaced by a no he related text is present and legible on the external packaging (see legal reference)						
	rmity verification & Eco design (ErP)						
The D	oduct is CE-marked to show conformance with applicable legal requirements (see legal requirements) can be requested at: <a href="https://www.lenovo.com/us/en/compliance/uk-doc for UK">https://www.lenovo.com/us/en/compliance/uk-doc for UK</a>						
	oduct complies with the Eco design requirements for energy-related products, gal reference).						
Requi	ed information is; Significantly given in item P15 or added to this document, available at: <a href="https://www.lenovo.com/us/en/compliance/">https://www.lenovo.com/us/en/compliance/</a>	one declaratio					
P5 Produ	ct packaging	eco-deciaration	H .				
	ging and packaging components do not contain more than 0,01% lead, mercur	v cadmium a	and 🔀 🗍				
	and packaging components do not contain more than 0,01% lead, mercur	, oddinian c					
	ckaging materials are marked with abbreviations and numbers indicating the nature see legal reference).	of the material	l(s)				
P5.3* The pr	oduct packaging material is free from ozone depleting substances as specified in the I	Montreal Proto	ocol 🔲 🗌				
	ent: Legal reference has no maximum concentration values.						
	ent information						
	tion for recyclers/treatment facilities is available (see legal reference).						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *  Issue date *		7D7L	Logo	Lon	0)//	
		Dec 7, 2022		Len	OVC	) <sub>TH.</sub>
Product		mental attributes - Market requirements (See General NOTE GN onmental conscious design	below)	Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	N/A
P7		Disassembly, recycling				-
P7.1*	Parts tha	t have to be treated separately are easily separable		$\boxtimes$		
P7.2*	Plastic m	aterials in covers/housing have no surface coating.			$\boxtimes$	
P7.3*	P7.3* Plastic parts > 100 g consist of one material or of easily separable materials.				$\overline{\Box}$	$\overline{\boxtimes}$
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			$\overline{\Box}$	
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly	available tools.			
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).				
	Product	, , , , , , , , , , , , , , , , , , , ,				
P7.7*		g can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgradin	g can be done using commonly available tools			Ħ	
P7.9	Spare pa	irts are available after end of production for: years				
P7.10	Service i	s available after end of production for: years				$\overline{\Box}$
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
			rial type: <b>PC+AB</b>	<u>s</u>		
P7.12	Insulatio	n materials of external electrical cables are PVC free.				
P7.13		n materials of internal electrical cables are PVC free.				
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flan chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine n 25% post-consumer recycled content.	ne retardants, a	nd		
P7.15	Printed c	ircuit boards, PCBs (without components) are low halogen: all PCBs > 25 g and in IEC 61249-2-21. (See <sup>5</sup> NOTE B2)	are low halog	en 🗌		
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4	l:			
P7.17	Alt. 1: Ch	nemical specifications of flame retardants in printed circuit boards > 25 g (without additive) , TBBPA (reactive) (See NOTE B3), Other: chemical name:	components): , CAS #:			
		nemical specifications of flame retardants in printed circuit boards (without compor g ISO 1043-4:	nents) > 25 g			
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substanc ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations	in		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 10				
P7.19	assigned the following Risk phrases; and Hazard statements:					
DT 65:			See note B5)			
P7.20*	The source(s) for these classifications is/are found at (add URL(s)):  7.20* Postconsumer recycled plastic material content is used in the product (See Note B6):  If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is  or  b) The weight of recycled material is  g.			<b>.</b>		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	7D7L	Logo	Lenovo
Issue date *	Dec 7, 2022		Lei IOVO.
Product environr	nental attributes - Market requirements (continued)		Requirement met
Item			Yes No N/A

	Matarial and an	L - 4	//\					
D7.04*		bstance requirements		TE D7\				
P7.21*	Biobased plastic	material content is used	in the product (See NC	DIEB7):				
	If YES; at least of	one of the two alternatives	s below shall be answe	red;				
		stic parts' weight > 25 g,	the biobased plastic ma	aterial content (calcula	ated as a percentage of			
	•	by weight) is %.						
	or	- <b>f</b> 41 1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	-4					
D7 00*		of the biobased plastic n						
P7.22*		e free from mercury, i.e. I		ım mercury content n	er lamp: mg			
P7.23*								
	•	23 an integral display, the	total mercury content	in the integrated dispi	ay. mg			
<b>P8</b> P8.1*	Batteries	Lagrange tion. T. W. i.e., 1.6.						
		composition: Lithium Ma	nganese Dioxide					
P9	Energy consum	ption (See NOTE B8)						
P9.1		the following power levels			D-f			
Energy mo	de ^	Power level at <b>100</b> V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for ene modes and test method *	ergy 🔀		
Peak (On-I	max)	W	W	W	Full load			
Cotogor								
Categor EPS No-loa		W	w	W	Т			
	ad ower supply /	VV	VV	VV				
	gged in the wall							
	isconnected from							
the product								
PTEC *	•	W	W	W		$\square$		
	ergy Consumption							
ETEC *		kWh/year	kWh/year	kWh/year		$\boxtimes$		
	ergy Consumption							
		ency Level (International	Efficiency Marking Pro	tocol) * :		$\boxtimes$		
Display res	olution * :	megapixels				$\boxtimes$		
Default time	e to enter energy	save mode: minut	es					
P9.2*	Information abou	it the energy save function	on is provided with the p	oroduct.				
P9.3	Energy efficiency	y class (monitors only):						
P10	Emissions				_ '			
	Noise emission	- Declared according to	ISO 9296 (See NOTE	B9)				
P10.1	Mode	Mode description			it A-weighted sound power level,	L <sub>WA,c</sub> (B)		
	Idle	* System idle no stres	s and 9 PSUs	* 6.7				
		installed in chassis						
Operation * 100% CPU or GPU workload and 9 PSUs			orkload and 9 PSUs	* 8.5				
installed in chassis Other mode Declared A-weighted sound pressure level (dB)			I pressure level (dB)	(operator no	osition desktop – idle)			
	Outof mode	$L_{pAm}$		(operator po	including desirable lare)			
Other mode			(operator position desktop – operating)					
	0	$L_{pAm}$		(oporator po	chairm accuracy operating)			
	Measured accord	ding to: 🔀 ISO 7779 🔀	ECMA_7/	1				
	IVICASUIEU ACCOIT	Other		ECMA 74)				
	Other (only if not covered by ECMA-74)  Electromagnetic emissions							
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary							
	program(s):	,ooto alo roquitorilorit						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *	7D7L			Logo	Long			
Issue date *	Dec 7, 2022				Leno	VO.	н	
Product environ	mental attributes	- Market requiremen	ts (continued)		Requirement met			
Item					Yes	No	N/A	
	mics for computing							
P12.1* The disp	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.					$\boxtimes$		
P12.2* The phy	sical input device me	ets the requirements of	ISO 9995 and ISO 924	1-410.			$\boxtimes$	
	ing and documenta							
Product		ype(s): <b>Double wall Co</b> ype(s): <b>polyethylene</b> w ype(s): <b>LDPE</b> w		weight (kg): 2.25				
P13.2* Product	plastic primary packa	aging is free from PVC.			$\boxtimes$			
consum	er recovered fiber co	ntent:33 %	0. ,	ed percentage of minimu	m post-			
		roduct documentation (ti Other	ick box):					
Ùser an	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:							
,	chlorine-free cal chlorine-free							
Process	ed chlorine-free				Π			
P14 Volunta	ry programs							
P14.1 The pro	duct meets the requir	rements of the following	voluntary program(s):					
Eco-lab Eco-lab	el:	Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product category: Product category: Product category:				
	nal information (Sec							
NOTE: the info supplie informa Accour	Energy consumption of computer products; description of the tested product configuration:  NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.							
		Enterprise Servers for v/products/data_center						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

# Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)*  * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	

# Lenovo ErP Lot9 Information Sheet - Servers & Storage Products-

As required by COMMISSION REGULATION (EU) 2019/424 of 15 March 2019 laying down ecodesign requirements for servers and data storage products pursuant to Directive 2009/125/EC of the European Parliament and of the Council and amending Commission Regulation (EU) No 617/2013. (ErP Lot9)

### Products scope of this sheet: Servers & storage products

This document is only valid in connection with the IT Eco Declaration of the specific Product.

### **SERVERS**

Genera	l inf	forma	tion
OCHUIA		OHIHA	

• • • • • • • • • • • • • • • • • • • •			
Commercial name (3.1 (b))	ThinkSystem SD650-I V3 Neptune DWC Tray	Logo	
Contact Address (3.1 (b))	7001 Development Dr. Building 7, Morrisville, NC 27560, United		
	States		Lonovo
Model Number (3.1 (c) )	7D7L		Lenovo
Issue Date	Dec 7, 2022		
Additional information			

Product environmental attributes (EU) 2019/424 – Annex II points 3.1 and 3.3							
1.a	Is the product consider to be in scope of ErP Lot 9 in scope out of scope, product is out of scope as:						
1.b	Server type Rack Server High Performance Computing (HPC)						
(3.1 (a))	Tower Server Multi Node Server						
	☐ Blade Server ☐ Data Storage product (Please go to "DATA STORAGE PRODUCTS" section						
1.c (3.1 (d))	Year of manufacture: 2022						
1.d (3.1 (p))	Product model part of a server product family?						
1.e	Information on the secure data deletion functionality						
(3.1 (n))	(a) instructions on how to use the functionality:						
	2 methods are provided to use the functionality.						
	1) Use a command line tool to do the secure data deletion on the remote target system via boot up a customized Linux						
	OS on it.  Eg: OneCli.exe serase –bmc USERID:PASSWORD@xx.xx.xx.xxsftp root:password@xx.xxx.xx.xx:/home -log 5						
	2) Use BoMC to create a full functions bootable media, start the media and choose secure erase from the text menu.						
	(b) techniques used:						
	OS tools under Linux -> Standard Linux Open Source tool (c) supported secure data deletion standard (if any):						
	Secure Erase/block Erase/Crypto Erase, Sanitize						
	OR - Reference to other information:						
	Hdparm: https://en.wikipedia.org/wiki/Hdparm						
	Nvme-format: https://www.mankier.com/1/nvme-format						
	sg_sanitize: https://www.systutorials.com/docs/linux/man/8-sg_sanitize/						
	scrub: https://www.systutorials.com/docs/linux/man/1-scrub/						
	storcli: https://docs.broadcom.com/docs-and-downloads/raid-controllers/raid-controllers-common-iles/StorCLI_RefMan_revf.pdf						
1.f (3.1 (o))	Blade servers? No Yes						
	list of recommended combinations with compatible chassis: ThinkSystem DW612S Neptune DWC Enclosure						
Recycling 2.a	Indicative weight range at component level, of the (a) Cobalt in the batteries (b) Neodymium in the HDDs						
(3.3 (a))	following critical raw materials:  (a) Cobalt in the batteries  (b) Neodymidin in the HDDs						
	between 5 g and 25 g						
	above 25 g						
2.b	Instructions on the disassembly operations						
(3.3 (b))	(a) the type of operation;						
	(b) the type and number of fastening technique(s) to be unlocked;						
	(c) the tool(s) required.						
	OR - Reference to other information: https://datacentersupport.lenovo.com/us/en/						
2.c	Firmware						
Additional	Reference to information on last available firmware: https://datacentersupport.lenovo.com/us/en/ I information						
Auditiolial	I IIIIVIIII AUVII						

## Server family specific information Family 1

Family r	amily no. / name				
Model n (3.1 (c))	umber(s) / Description		nance configuration: <i>Process</i> *16, <i>Storage: 240GB SSD*2</i> , F	or: Intel(R) Xeon(R) Platinum 8460Y+ 40C PSU: 2600W*5	
			guration: Processor: Intel(R) 2 Storage: 240GB SSD*2, PSU: 2	Xeon(R) Platinum 8458P 44C 350W 2600W*5	
Addition	nal information				
		b <b>utes</b> (EU) 2019/424 – Annex II	I points 2.1 and 2.2		
F1.a	DSIL efficiency at 10	% (if applicable), 20 %, 50 % an	nd 100 % of rated output power		
(3.1 (e))		rounded to the first decimal place		e-output	
		performance configuration(s): <b>95.21%</b> 50% <b>96.19%</b> 100% 9	<b>94.65%</b> Average <b>95.35%</b>		
	High-end performand 10% <b>92.87%</b> 20%	ce configuration(s): 9 <b>5.21%</b> 50% <b>96.19%</b> 100% 9	<b>94.65%</b> Average <b>95.35%</b>		
F1.b (3.1 (f))	(rounded to three dec		standard or low-end performal configuration: <b>0.99</b>	configuration: 0.99	
F1.c (3.1 (g))	PSU rated power out (in Watts rounded to		standard or low-end performation: <b>2,600</b>	nce high-end performance configuration: <b>2,600</b>	
	internal note:	ver product family, all PSUs offered in a server with the information specified in (e) and (f)			
F1.d (3.1 (h))	idle state power	ed to the first decimal place)	standard or low-end performation: 196.7	nce high-end performance configuration: 199.1	
F1.e		ts for additional idle power allowa		oormgaration. 10011	
(3.1 (i))	•	<u>·                                      </u>			
		standard or configuration	low-end performance	high-end performance configuration:	
	CPU Performance		et (10 × PerfCPU W)	1 Socket	
			et (7 × PerfCPU W)	☑ 2 Socket	
) ts	Additional PSU	<b>Yes</b> (Yes / No	,	Yes(Yes / No) #: 3	
idle power allowances adjustments during testing	HDD	No(Yes / No)	,	<b>No</b> (Yes / No) #:	
nst	SDD	Yes(Yes / No		Yes(Yes / No) #: 2	
adj	Additional memory	Yes(Yes / No	) #: <b>252GB</b>	<b>Yes</b> (Yes / No) #: <b>1020GB</b>	
ces	Additional buffered DDF	R channel Yes (Yes / No)	) #: <b>8</b>	<b>Yes</b> (Yes / No) #: 8	
wan ng te	Additional I/O devices	none		none	
allo		< 1 Gb/s:	No Allowance	< 1 Gb/s: No Allowance	
er å		= 1 Gb/s:	2,0 W/Active Port	= 1 Gb/s: 2,0 W/Active Port	
Nod.		> 1 Gb/s a	and < 10 Gb/s: 4,0 W/Active Port	> 1 Gb/s and < 10 Gb/s: 4,0 W/Active Port	
<del>a</del>		≥ 10 Gb/s	and < 25Gb/s: 15,0 W/Active Port	≥ 10 Gb/s and < 25Gb/s: 15,0 W/Active Port	
. <u>-</u>			and < 50Gb/s: 20,0 W/Active Port	≥ 25 Gb/s and < 50Gb/s: 20,0 W/Active Port	
			26,0 W/Active Port	≥ 50 Gb/s 26.0 W/Active Port	
F1.f (3.1 (j))	maximum power (in Watts and rounde	ed to the first decimal place)	standard or low-end performation:		
F1.g	operating condition c		standard or low-end performal		
(3.1 (k))	(as defined in Table 6	3 or ErP lot 9)	configuration: A1 A2 A3 A4	configuration: ☐A1 ☐A2 ☐A3 ☐A4	
			Exception comments	Exception comments	
F1.h (3.1 (l))		e higher boundary temperature ating condition class (in Watts)	standard or low-end performation: 201.7	nce high-end performance configuration: <b>204.1</b>	
F1.i		ency and the performance in	standard or low-end performan		
(3.1 (m))	active state of the se		configuration: 48.9	configuration: 53.8	