



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand * | Lenovo | Logo |) | |
|------------------------|--|------|--------|--|
| Company name * | Lenovo | | _ | |
| Contact information * | Lenovo Global Environmental Affairs | 1 | | |
| e-mail address | Alvin L Carter | | Lenovo | |
| | <u>alcarter@lenovo.com</u> | | | |
| Internet site * | https://www.lenovo.com/us/en/sustainability-resources/ | | | |
| Additional information | The latest version of this document can be found at: | | | |
| | http://www.lenovo.com/ecodeclaration | | | |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. | | | | | |
|--|---|--|--|--|--|
| Type of product * | Notebook | | | | |
| Commercial name * | Yoga Pro 9 14IRP8 YogaPro 14s IRP8D Yoga Pro 9 14IRP8 D1 Lenovo Slim Pro 9 14IRP8 | | | | |
| Model number * | 83BU 83BV | | | | |
| Issue date * | 2023-03-06 | | | | |
| Intended market * | ☑ Global Europe Asia, Pacific & Japan Americas Other | | | | |
| Additional information | | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

| Model number * | | 83BU/83BV | Logo | Long | N/C | |
|----------------|--|---|------------------|-------------|-------------|------|
| Issue dat | e * | 2023-03-06 | | Lend | | ТМ |
| Product | environ | mental attributes - Legal requirements | | Require | ment | met |
| Item | | <u> </u> | | Yes | No | n.a. |
| P1 | Hazardo | ous substances and preparations | | • | | |
| P1.1* | Products | do comply with current European RoHS Directive. (See legal reference and NOTE | B1) | \boxtimes | | |
| P1.2* | | s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value. | | | | |
| P1.3* | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. | | | | | |
| P1.4* | * Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). | | | | | |
| P1.5* | | odo not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference). | oon atoms in th | e 🔀 | | |
| P1.6* | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. | | | | | |
| P1.7* | REACH | Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure | contact): | | | |
| P2 | Batterie | S | | | | |
| P2.1* | | duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference) | the disposal | | | |
| P2.2* | | or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn | nium. (See lega | I 🔀 | | |
| P2.3* | Batteries | and accumulators are readily removable. (See legal reference) | | \boxtimes | | |
| P3 | Conforn | nity verification & Eco design (ErP) | | | | |
| P3.1* | The proc The Dec | luct is CE-marked to show conformance with applicable legal requirements (see legal laration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU; www.lenovo.com/us/en/compliance/uk-doc for UK | gal reference). | | | |
| P3.2* | | duct complies with the Eco design requirements for energy-related products, al reference). | | | | |
| | · | d information is; | | | | |
| DE | • | | | | | |
| P5.1* | | packaging ng and packaging components do not contain more than 0,01% lead, mercur | v cadmium ar | nd 🔽 | | |
| | hexavale | ent chromium by weight of these together. | | | | |
| P5.2* | used (se | kaging materials are marked with abbreviations and numbers indicating the nature e legal reference). | | , , | | |
| P5.3* | (see lega | luct packaging material is free from ozone depleting substances as specified in the N al reference). nt: Legal reference has no maximum concentration values. | /lontreal Protoc | ol 🔀 | | |
| P6 | | nt information | | | | |

Information for recyclers/treatment facilities is available (see legal reference).

P6.1*

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model number * | | 83BU/83BV | Logo | Lan | | |
|----------------|---|--|-------------------|---------------|----------------|------------------------|
| Issue da | te * | 2023-03-06 | | Len | OVC |) _{TM} |
| Product | | mental attributes - Market requirements (See General NOTE GN onmental conscious design | | Require | ment | met |
| Item | | tory to fill in. Additional information regarding each item may be found under P14. | | Yes | No | n.a. |
| P7 | | Disassembly, recycling | | | | |
| P7.1* | Parts tha | at have to be treated separately are easily separable | | \boxtimes | | |
| P7.2* | Plastic m | naterials in covers/housing have no surface coating. | | \boxtimes | | |
| P7.3* | Plastic p | arts > 100 g consist of one material or of easily separable materials. | | | $\overline{}$ | $\overline{\boxtimes}$ |
| P7.4* | Plastic p | arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. | | $\overline{}$ | \overline{H} | X |
| P7.5 | | arts are free from metal inlays or have inlays that can be removed with commonly a | available tools | | \pm | |
| P7.6* | | re easily separable. (This requirement does not apply to safety/regulatory labels). | | | ╫ | - |
| 1 7.0 | Product | | | | | |
| P7.7* | | ng can be done e.g. with processor, memory, cards or drives | | \square | | |
| P7.8* | | ng can be done using commonly available tools | | | ∺ | ╫ |
| P7.9 | | arts are available after end of production for: 5 years | | | | ╫ |
| P7.10 | | | | | | - |
| P7.10 | | • | | | | |
| P7.11* | | and substance requirements cover/housing material type (e.g. plastics, metal, aluminum): | | | | |
| P7.11 | | type: metal(AI) Material type: | | | | |
| P7.12 | Insulatio | | \boxtimes | | | |
| P7.13 | Insulatio | n materials of internal electrical cables are PVC free. | | | \square | |
| P7.14 | weight (| plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content. | e retardants, and | t | | |
| P7.15 | as define | circuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ☐ ed in IEC 61249-2-21. (See 1NOTE B2) | | า 🗌 | | |
| P7.16 | Flame re Marking: | etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: | | | | |
| P7.17 | | nemical specifications of flame retardants in printed circuit boards > 25 g (without of additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #: | components): | | | |
| | | nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: | ents) > 25 g | | | |
| P7.18 | concentr 1. Chem 2. Chem 3. Chem | etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%: ical name: CAS #: | s/preparations ir | 1 | | |
| | Chemica | al specifications of flame retardants in plastic parts >25g according ISO 1043-4: | | | | |
| P7.19 | - | parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements: | n have been | | | |
| | The sour | rce(s) for these classifications is/are found at (add URL(s)): | e note B5) | | | |
| P7.20* | If YES; a a) Of t | sumer recycled plastic material content is used in the product (See Note B6): it least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 15.99%. | nt (calculated as | | | |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

b) The weight of recycled material is 36.60 g.

| Model number * | 83BU/83BV | Logo | Lon | 01/0 | |
|------------------|------------|--------|------|-------|------|
| Issue date * | 2023-03-06 | | Len | | ты |
| Product environn | | Requir | emen | t met | |
| Item | | | Yes | No | n.a. |

| D7.04* | | stance requirements | | OTE D7) | | | |
|--------------------------|---|----------------------------------|------------------------------------|----------------------------|---|---------------|--|
| P7.21* | Biobased plastic n | naterial content is used | d in the product (See No | JIEB/): | | Ш | |
| | , | | es below shall be answe | , | .t.dtf | | |
| | a) Of total plastic b | | the biobased plastic m | ateriai content (caicula | ited as a percentage of | | |
| | or | y worghty to 70. | | | | | |
| | | f the biobased plastic | | | | | |
| P7.22* | | | less than 0,1 mg/lamp. | | | | |
| P8 | Batteries | specify: Number of lar | nps: and maximi | um mercury content pe | er lamp: mg | | |
| P8.1* | | composition: LI-ION Po | olvmer batterv | | | $\overline{}$ | |
| P9 | | otion (See NOTE B8) | , | | | | |
| P9.1 | | | ls or energy consumption | ons are reported: | | | |
| Energy mod | de * | Power level at 100 V AC | Power level at 115 V AC | Power level at 230 V AC | Reference/Standard for energy modes and test method * | \boxtimes | |
| Peak (On-r | nax) | 140 W | 140 W | 140 W | Full load | | |
| Category | <u>/ 2</u> | | | | | | |
| Short Idle | State - WOL | 11.21W | 11.42W | 11.13W | ENERGY STAR Computers V8 (P short idle) | | |
| | | | | | · · · · · · · · · · · · · · · · · · · | | |
| Long Idle S Enabled | State - WOL | 0.73W | 0.74W | 0.76W | ENERGY STAR Computers V8 (P long idle) | | |
| 01 (00) | 1401 5 11 1 | 0.7014/ | 0.7.00/ | 0.7004 | ENERGY OTAR O | | |
| Sleep (S3) - WOL Enabled | | 0.73 W | 0.74W | 0.76 W | ENERGY STAR Computers V8(P _{sleep}) | | |
| Off (S5) - V | VOL Enabled | 0.2W | 0.19W | 0.23W | ENERGY STAR Computers | | |
| | | | | | V8(P off) | | |
| EPS No-loa | ad | 0.12 W | 0.12 W | 0.12 W | | | |
| | upply / charger plugged in the connected from the product.) | | | | | | |
| | officered from the product.) | 10/ | 14/ | 14/ | | | |
| PTEC * Typical Ene | ergy Consumption | W | W | W | | \boxtimes | |
| | ngy Concampton | | | | | | |
| ETEC * | ergy Consumption | 32.76kWh/year | 33.35 kWh/year | 32.74 kWh/year | $E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long Idle} \times 0.10 +$ | | |
| Alliluai Lile | rigy Consumption | | | | P _{short Idle} x 0.30) | | |
| | | P Off Mode(\$5) - W | Ol Enabled: P. : Sleen | Mode(\$3) - WOL Enable | ed; P _{idle} : Idle State - WOL Enabled | | |
| | | Poff. Off Mode(33) - W | OL Litabled, Fsleep. Sleep | Wode(33) - WOL Lilabit | ed, Fide luie State - WOL Ellabled | | |
| External Po | wer Supply Efficier | ncy Level (Internationa | I Efficiency Marking Pro | otocol) * : VI | | | |
| Display res | olution * : 5.898 me | egapixels | | | | | |
| Default time | e to enter energy sa | ave mode: 5 minutes | | | | | |
| P9.2* | Information about | the energy save functi | on is provided with the | product. | | | |
| P9.3 | Energy efficiency | class (monitors only): | | | | \boxtimes | |
| P10 | Emissions | | | | | | |
| D.10.1 | | | o ISO 9296 (See NOTE | | | (5) | |
| P10.1 | | Mode description | | Statistical upper limi | it A-weighted sound power level, $L_{WA,c}$ | (R) | |
| | | 'Idle (Operating) 'CPU:Operation | | *4.2 | | | |
| | | <u> </u> | | | tion dealton (dla) | | |
| | Other mode | Declared A-weighted soun | d pressure level (dB) $L_{p\!Am}$ | 15.7 (operator posi | tion aesktop – iaie) | | |
| | Other mode | Declared A-weighted soun | d pressure level (dB) $L_{ m pAm}$ | 35.6 (operator posi | tion desktop – operating) | | |
| | Measured accordi | ng to: X ISO 7779 | ECMA-74 | | | | |
| 1 | Other (only if not covered by ECMA-74) | | | | | | |

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

| Model numb | er * | 83BU/83BV | | | | | Logo | Long | \/O | |
|---------------------------------|--|--|---|---|---|--|---|---|----------|------|
| Issue date * | | 2023-03-06 | | | | | | Leno | VO, | , |
| Product en | vironm | nental attributes | - Market requirem | ents (con | tinued) | | | Require | ment | met |
| Item | | | | | | | | Yes | No | n.a. |
| | | nagnetic emissions | | | | | | | | |
| pı | rogram(| (s): MPR-II(3 pin AC | | equency el | ectromagne | etic fields of the fo | ollowing voluntary | / <u>\</u> | | |
| | | nics for computing | | | | | | | | |
| | | | omic requirements of | | | | ogies. | \boxtimes | <u>Ц</u> | Щ |
| | he phys | sical input device me | ets the requirements | of ISO 999 | 5 and ISO 9 | 9241-410. | | \boxtimes | | |
| | Packaging and documentation | | | | | | | | | |
| P P P P P | roduct p roduct p roduct p roduct p roduct p roduct p | packaging material to packaging material to | ype(s): <i>EPE</i> ype(s): <i>PE Bag</i> ype(s): <i>Paper Cushic</i> ype(s): <i>Paper Bag</i> ype(s): <i>Paper Bag</i> ype(s): <i>Paper Docun</i> ype(s): | weight (kg weight (kg weight (kg on weight (kg nents weight (kg |): 0.4): 0.09): 0.014 weight (kg):): 0.004 weight (kg): | | | | | |
| P13.2* P | roduct p | olastic primary packa | aging is free from PV0 | C. | | | | | | |
| C | onsume | r recovered fiber co | | | ify the con | tained percentag | e of minimum p | ost- | | |
| | | | roduct documentation | n (tick box): | | | | | | |
| | | c 🔀, Paper 🔀, Ot | | | | | | | | |
| Ù If T | lser and Yes, plo otally ch lementa | | em if paper document ttion on paper media i | | | | | | | |
| | | | | | | | | | | |
| | | y programs luct meets the requir | ements of the following | ng voluntary | / program(s | s): | | | | |
| E | NERGY co-labe co-labe | ** | Criteria version: 8.0 Criteria version: Criteria version: | | Date: 2020 Date: Date: | Produc | t category: 2 t category: t category: | | | |
| | | al information (See | | , | | • | <u> </u> | | | |
| P9 E | nergy o | consumption of sp | ecific configuration | may vary; | description | n of the tested p | roduct configur | ation: | | |
| N tt s ir A P9 S | IOTE: S he infor upplier nformat account | cupplier makes no la mation contained la 's knowledge avail tion. The information Representative for rgy Star Qualified la | representations, gua in this document. Al able at the time of co on provided here is a r more information. Notebooks & Tablet | arantees, a Il information ompletion, approximation Computers | ssurances on provide and suppl te and prov s for the la | or warranties w d by supplier in ier shall have no vided for informa- test information | thether express this document to obligation to u ational purpose | or implied, i is provided i ipdate such | based | on |
| | | | s://www.energystar.g | | | | | | | |
| | | | | - | | | | | | |

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

| Reference | Declaration item |
|---|------------------------|
| Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications. | P1.1 |
| Regulation (EC) 1907/2006(REACH, Annex XVII | P1.2, P1.4, P1.6, P1.7 |
| Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances) | P1.3, P5.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. | P2.1, P2.2, P2,3, P8.1 |
| Directive 2006/95/EC (Low Voltage Directive) | P3.1 |
| Directive 2004/108/EC (EMC Directive) | P3.1 |
| Directive 1999/5/EC (R&TTE Directive) | P3.1 |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2 |
| Regulation (EC) No 1272/2008 (CLP Regulation) | P7.19 |
| Directive 2004/12/EC (Packaging Directive) | P5.1 |
| Decision 97/129/EC (Secondary packaging legislation) | P5.2 |
| Directive 2012/19/EU (WEEE directive) | P6.1 |

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

| Commercial name | Yoga Pro 9 14IRP8 | Logo |
|------------------------|--------------------------|---------|
| | YogaPro 14s IRP8D | |
| | Yoga Pro 9 14IRP8 D1 | |
| | Lenovo Slim Pro 9 14IRP8 | |
| Model number * | 83BU/83BV | Lopovo |
| Issue date * | 2023-03-06 | Lenovo. |
| Additional information | | |

| (d) | Year of manufacture: | | | | |
|---|--|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| | | | | | 2023 |
| (e) | Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with | | | | cards (dGfx) are |
| (f) | Etec value (kWh) per ErP Lot 3 Categorienable | ry and capability adjust | ments applied when a | all discrete graphics | cards (dGfx) are |
| | | Category A (according to ErP Lot 3) | Category B (according to ErP Lot 3) | Category C (according to ErP Lot 3) | Category D (according to ErP Lot 3) |
| | Memory over base [GB] | 60 | (1000000000) | (accounting to an according | (, |
| sults capability adjustments applied during testing | Additional internal storage | No (Yes / No) | (Yes / No) | (Yes / No) | (Yes / No) |
| | Discrete television tuner | No (Yes / No) | (Yes / No) | (Yes / No) | (Yes / No) |
| | Discrete Audio Card | No (Yes / No) | (Yes / No) | (Yes / No) | (Yes / No) |
| | Discrete graphics Card(s) [number / #] | Yes #: 1 (Yes / No) | #: (Yes / No) | #: (Yes / No) | #: (Yes / No) |
| | Category of discrete graphics Card(s) | 6 | | | |
| | Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx) | | | | |
| Test results | Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled | 33.11 | | | |
| (g) | Idle state power demand (Watts); | 1 | • | • | 11.97 |
| (h) | Sleep mode power demand (Watts); | | | | 0.69 |
| (i) | Sleep mode with WOL enabled power d | emand (Watts) (where | enabled); | | 0.69 |
| (j) | Off mode power demand (Watts); | | | | 0.2 |
| (k) | Off mode with WOL enabled power dem | and (Watts) (where en | abled); | | 0.2 |
| (I) | Internal power supply efficiency at 10 % | , 20 %, 50 % and 100 ° | % of rated output pow | er (if applicable): | |
| | 10% 20% 50% | 100% Avera | ige | | |
| (m) | External power supply efficiency (if appli | icable)*: | | | |
| | Average active efficiency: 91.39% 89.9 | 95% | | | |
| (o) | *internal note: show values for all available external p Minimum number of loading cycles that | | tand (applies only to r | notebook computers): | 300CYCLES |
| (p-1) | Measurement methodology used to dete | | Alamadia mater (I) | mtamal DOLL -#:-:- | |

| (p-2) | Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: EN 50563:2011 measurement methodology | | | | | | |
|------------------------|---|--|------------------------------------|----------|--|--|--|
| (p-3) | Measurement metho | dology used to determine information mentioned in p EN 61960 measurement methodology | | | | | |
| (p-4) | | dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration: | naximum, idle, sleep, off mode | | | | |
| | | EN 62623:2013 measurement methodo | ology | | | | |
| (q) | Sequence of steps for | or achieving a stable condition with respect to power | demand:: | | | | |
| | | EN 62623:2013 measurement methodo | ology | | | | |
| (r) | Description of how sleep and/or off mode was selected or programmed: By selecting sleep and/or off mode thru Windows operating system | | | | | | |
| (s) | | required to reach the mode where the equipment au wer management, 5mins automatically reaches s | | | | | |
| (t) | | te condition before the computer automatically re | | 5 | | | |
| (u) | Length of time after | r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in | r automatically reaches a power | NA | | | |
| (v) | | re the display sleep mode is set to activate after | | 5 | | | |
| (w) | | nergy-saving potential of power management function | | <u> </u> | | | |
| | User information | described in User Guide and Power Manager un programs | der LenovoVantage menu in all | | | | |
| (x) | User information on I | now to enable the power management functionality: | | | | | |
| | User information | n described in User Guide and Power Manager ur programs | nder LenovoVantage menu in all | | | | |
| (z) | the electricity supply | measurements: — test voltage in V and frequency in system, — information and documentation on the insting: 230V, 50GHz, Total Harmonic Distortion <2 9 | strumentation, set-up and circuits | | | | |
| Addition | al Notebook Batter | v Information: | | | | | |
| 7 taattion | an Hotoscon Batto. | Battery[ies] <u>not</u> user replaceable | Battery[ies] user replaceable | n/a | | | |
| | | The battery[ies] in this product cannot be easily replaced by users themselves. 1) | | | | | |
| Internal/b | ouilt-in Battery | | | | | | |
| External/ | detachable Battery | | | | | | |
| Bios Backup Battery | | \boxtimes | | | | | |
| Other: | | | | | | | |
| Additional information | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.