

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs	
e-mail address	Alvin L Carter	Lenovo
	alcarter@lenovo.com	
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Notebook					
Commercial name *	Yoga Slim 7 Carbon 13IRP8, Lenovo Slim 7 Carbon 13IRP8, Yoga Air 13s IRP8					
Model number *	83AY, 83B0					
Issue date *	2022-11-30					
Intended market *	🛛 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model n	umber *	83AY, 83B0 Logo				
lssue da	ate *	2022-11-30	Len	Lenovo		
Produc	t environ	mental attributes - Legal requirements	Require	men	t met	
Item			Yes	No	n.a.	
P1		ous substances and preparations				
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes			
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1 ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.	-			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference).	\boxtimes			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).	n the 🔀			
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/w al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	/eek 🔀			
P1.7*		Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	\square			
P2	Batterie	95				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes			
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See le	egal 🔀			
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)	\square			
P3	Confor	nity verification & Eco design (ErP)				
P3.1*	The pro The Dec https://	duct is CE-marked to show conformance with applicable legal requirements (see legal reference claration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU; www.lenovo.com/us/en/compliance/uk-doc for UK	≆). 🔀			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).	\square			
	Require	d information is; given in item P15 or added to this document, available at (add URL):				
		www.lenovo.com/us/en/compliance/eco-declaration				
P5		t packaging				
P5.1*	hexaval	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium ent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the mater ee legal reference).				
P5.3*	(see leg	duct packaging material is free from ozone depleting substances as specified in the Montreal Pro al reference). nt: Legal reference has no maximum concentration values.	tocol 🔀			
	Comme	na Eugenterenere has no maximum concentration values.				
P6		ent information				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		83AY, 83B0	Logo	Lon	~			
Issue da	te *	2022-11-30		Len	Lenovo.			
Product environmental attributes - Market requirements (See General NOTE GN below)								
	- Environmental conscious design							
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.		
P7		Disassembly, recycling at have to be treated separately are easily separable						
P7.1*			<u> </u>					
P7.2*		naterials in covers/housing have no surface coating.						
P7.3*		arts > 100 g consist of one material or of easily separable materials.				\boxtimes		
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\square				
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly	available tools.	\square				
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\square				
	Product							
P7.7*		ng can be done e.g. with processor, memory, cards or drives		\square				
P7.8*	Upgradir	ng can be done using commonly available tools		\square				
P7.9	Spare pa	arts are available after end of production for: 3 years						
P7.10	Service i	s available after end of production for: 4 years						
	Material	and substance requirements						
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):						
		type: metal(Mg/AL) Material type: metal(NICKEL SGCC)						
P7.12		type: metal(AZ91D) Material type: Carbon+PC+40%GF Mater n materials of external electrical cables are PVC free.	ial type: plastic (
P7.12		n materials of external electrical cables are PVC free.		<u> </u>				
P7.13			manning and 0.10		<u> </u>			
P7.14	weight (polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i an 25% post-consumer recycled content.	e retardants, an	d 📩				
P7.15		circuit boards, PCBs (without components) are low halogen: all	are low haloge	n 🔀				
P7.16	Marking:			\square				
P7.17		chemical specifications of flame retardants in printed circuit boards > 25 g (with (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	out components):				
		nemical specifications of flame retardants in printed circuit boards (without compon g ISO 1043-4: <i>FR(16)</i>	ents) > 25 g					
P7.18		etarded plastic parts >25g contain the following flame retardant substance ations above 0.1%:	s/preparations	n				
	1. Chem 2. Chem 3. Chem	ical name: Oligomeric phosphorous compound CAS #: Confidential ical name: CAS #: ical name: CAS #: ical name: CAS #:						
		al specifications of flame retardants in plastic parts >25g according ISO 1043-4:						
P7.19	assigned The sour 67/548/E							
P7.20*	lfYES;a a) Oft apo or	sumer recycled plastic material content is used in the product (See Note B6): at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is 3.37% .	nt (calculated as					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	nber * 83AY, 83B0		Lenovo
Issue date *	2022-11-30		Lenovo
Product environm	nental attributes - Market requirements (continued)		Requirement met

Requirement met Yes

No

n.a.

	Matarial and cut	stance requirements	(continued)					
P7.21*		material content is use		NOTE B7) [.]				
	•			•				
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of							
		by weight) is %.	, p					
	or	. f 4le - le i - le						
7.22*		of the biobased plastic free from mercury, i.e.		n				
1.22	If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg							
28	Batteries		•					
P8.1*	,	composition: LI-ION P	olymer battery					
-9		ption (See NOTE B8)						
-9.1		ne following power leve	ls or energy consump Power level at		Defense of Standard for anormy			
Energy mo	de "	Power level at 100 V AC	115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *			
Peak (On-ı	max)	65 W	65W	65 W	Full load			
Category	<u>y 2</u>							
Short Idle	State - WOL	5.45 W	5.23 W	5.60 W	ENERGY STAR Computers V8.0			
Enabled					(P _{idle})			
Long Idle S	State - WOL	0.47 W	0.47 W	0.48 W	ENERGY STAR Computers V8.0			
Enabled					(P _{idle})			
Sieep (\$3)	- WOL Disabled	0.47 W	0.47 W	0.48 W	ENERGY STAR Computers V8.0 (P _{idle})			
Off (S5) - V	NOL Disabled	0.28 W	0.28 W	0.29 W	ENERGY STAR Computers V8.0			
EPS No-loa		0.063 W	0.063 W	0.065 W				
External power s	supply / charger plugged in the connected from the product.)	•						
PTEC *		W	W	W				
	ergy Consumption							
ETEC *	ergy Consumption	16.79 kWh/year	16.21 kWh/year	17.24kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$			
	ergy consumption				+ P _{sleep} x 0.35 + P _{long_Idle} x 0.10+ P _{short Idle} x 0.30)			
		Poff: Off Mode(S5) - W	OL Enabled; Psleep: Sleep	ep Mode(S3) - WOL Enabl	led; Pidle: Idle State - WOL Enabled			
External Po	ower Supply Efficie	ncy Level (Internationa	I Efficiency Marking P	Protocol) * : VI				
Display res	olution * : 4.096 m	egapixels						
Default time	e to enter energy s	ave mode: 5 minutes						
P9.2 *	Information about	t the energy save funct	ion is provided with th	e product.				
- 9.3	Energy efficiency	class (monitors only):						
P10	Emissions							
240.4		– Declared according t	o ISO 9296 (See NOT					
P10.1		Mode description * Idle (Operating)		Statistical upper lim	hit A-weighted sound power level, <i>L_{WA,c}</i> (B)			
		* HDD:Operation		* NA(No HDD)	<u> </u>			
	-	CPU:Operation		34				
	Other mode	Declared A-weighted sour	nd pressure level (dB) $L_{n\Delta}$	m 17.1 (operator pos	ition NB – idle)			
	Other mode	Declared A-weighted sour	nd pressure level (dB) L_{pA}	m 24.6 (operator pos	ition NB – operating)			
	Measured accord		ECMA-74	1				
		Other	(only if not covered b	ov ECMA-74)				
	1		,,	,				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Item

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	ımber *	83AY, 83B0			Log	D			
Issue dat	te *	2022-11-30					Leno	VO	тн
Product	environr	mental attribute	s - Market requirements (cor	ntinued)	• •		Require	ment	me
Item							Yes	No	n.a
		magnetic emissio							
P10.4		er display meets th (s): <i>MPR-II(3 pin J</i>	ne requirement for low frequency e AC adapter only)	lectromagnetic fields	s of the following	voluntary	′ 🖂		
P12		mics for computi							
P12.1*	The disp	play meets the ergo	pnomic requirements of ISO 9241-	307 for visual displa	y technologies.		\square		
P12.2*	The phy	sical input device r	meets the requirements of ISO 999	95 and ISO 9241-410	0.		\square		
P13	Packagi	ing and documen	tation						
P13.1*	Product Product Product Product Product Product	packaging materia packaging materia packaging materia packaging materia packaging materia packaging materia	al type(s): Corrugated weight (kg al type(s): Cardboard weight (kg al type(s): Cushion - molded pulp al type(s): Paper manual al type(s): Bamboo Bag weight al type(s): Cardboard Cushion al type(s): LDPE Bag weight (kg):	 j): 0.35 weight (kg): 0.104 weight (kg): 0.056 (kg): 0.010 weight (kg): 0.003 reight (kg): 0.060 	0				
P13.2*			ckaging is free from PVC.				\boxtimes		
P13.3*	consum	er recovered fiber			ercentage of m	inimum p	ost-		
P13.4*		ic 🔀, Paper 🔀,	I product documentation (tick box): Other						
P13.5	Úser an		item if paper documentation used ntation on paper media is chlorine-				\boxtimes		
	Totally o	hlorine-free					\square		
	,	al chlorine-free							
		ed chlorine-free							
P14		ry programs							
P14.1			uirements of the following voluntar	y program(s):					
	ENERG Eco-labe Eco-labe	Y STAR® el: EPEAT el:	Criteria version: <i>8.0</i> Criteria version: <i>1680.1-2018</i> Criteria version:	Date: 2022/11/10 Date: Date:	Product catego Product catego Product catego	ory:			
P15		nal information (S							
<u>P9</u>	NOTE: S the info supplies informa Accoun	Supplier makes n rmation containe r's knowledge av tion. The informa t Representative	specific configuration may vary; o representations, guarantees, a d in this document. All informat ailable at the time of completion tion provided here is approxima for more information.	assurances or warr ion provided by su , and supplier shall ate and provided fo	anties whether pplier in this do I have no obliga r informational	express ocument ation to u	or implied, i is provided pdate such	based	lon
P 9	See Ene	ergy Star Qualifie	d Notebooks & Tablet Computer ps://www.energystar.gov/produc						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name *	Yoga Slim 7 Carbon 13IRP8, Lenovo Slim 7 Carbon 13IRP8, Yoga Air 13s IRP8	Logo
Model number *	83AY, 83B0	
Issue date *	2022-11-30	Lenovo
Additional information		

disabled and if the system is tested with switchable graphics mode with UMA driving the display. (f) Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graph enable	2022							
enable Category A (according to ErP Lot 3) Category B (according to ErP Lot 3) Memory over base [GB] 16 Category C (according to ErP Lot 3) Category C (according to ErP Lot 3) Additional internal storage No (Yes / No) (Yes / No) (Yes / No) (Yes / No) Discrete television tuner No (Yes / No) No (Yes / No) (Yes / No) (Yes / No) (Yes / No) Discrete Audio Card No (Yes / No) No (Yes / No) (Yes / No) (Yes / No) (Yes / No) Discrete graphics Card(s) [number / #] No (Yes / No) No (Yes / No) #: (Yes / No) #: (Yes / No) #: (Yes / No) I discrete graphics cards (00f) are disabled at discrete graphics cards (00fr) are disabled at discrete graphics cards (00fr) 3.21 IIII discrete graphics cards (00fr) I discrete graphics cards (00fr) are enabled 3.21 IIII discrete graphics cards (00fr) IIII discrete graphics cards (00fr) I discrete graphics cards (00fr) are enabled 3.21 IIII discrete graphics cards (00fr) IIII discrete graphics cards (00fr) I discrete graphics cards (00fr) IIII discrete graphics cards (00fr) IIII discrete graphics cards (00fr) IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.							
generating to ErP Lot 3) (according to ErP Lot 3) Memory over base [GB] 16 16 16 16 Additional internal storage No (Yes / No) (Yes / No) (Yes / No) Discrete television tuner No (Yes / No) (Yes / No) (Yes / No) Discrete audio Card No (Yes / No) (Yes / No) (Yes / No) Discrete graphics Card(s) [number / #] No #: (Yes / No) (Yes / No) Category of discrete graphics Card(s) Image: State of the card disabled 3.21 Image: State of the card disabled Image	cs cards (dGfx) are							
Additional internal storage No (Yes / No) (Yes / No) Discrete television tuner NO (Yes / No) (Yes / No) Discrete Audio Card NO (Yes / No) (Yes / No) Discrete Audio Card NO (Yes / No) (Yes / No) Discrete graphics Card(s) [number / #] No #: #: (Yes / No) Category of discrete graphics Card(s) Image: Category of discrete graphics Card(s) Image: Category of discrete graphics Card(s) Image: Category of discrete graphics Card(s) I discrete graphics ards (d6fx) are disabled 3.21 Image: Category of discrete graphics Image: Category of discrete graphics I discrete graphics ards (d6fx) are disabled 3.21 Image: Category of discrete graphics Image: Category of discrete graphics Image: Category of discrete graphics I discrete graphics ards (d6fx) are disabled 3.21 Image: Category of discrete graphics Image: Category of discrete graphics I discrete graphics ards (d6fx) are disabled Image: Category of discrete graphics 3.21 Image: Category of discrete graphics I discrete graphics ards (d6fx) are disabled Image: Category of discrete graphics Image: Category of discrete graphics Image: Category of discrete graphics I discrete graphics ards (d6fx) are disabled Image: Category of discrete graphics Image: Category of discrete graphics Image:	3) (according to ErP Lot 3)							
and the second of the secon								
Image: space spac	(Yes / No)							
Image: space spac	(Yes / No)							
Image: Content of the sector of the secto	(Yes / No)							
Image: Sector of the sector	#: (Yes / No)							
all discrete graphics cards (d6fx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (d6fx) g) Etec Value (kWh) - dGfx enabled all discrete graphics cards (d6fx) are enabled g) Idle state power demand (Watts); h) Sleep mode power demand (Watts); ii) Sleep mode with WOL enabled power demand (Watts) (where enabled); j) Off mode power demand (Watts); k) Off mode with WOL enabled power demand (Watts) (where enabled); l) Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 20% 50% 100% Average								
(g) Idle state power demand (Watts); (h) Sleep mode power demand (Watts); (i) Sleep mode with WOL enabled power demand (Watts) (where enabled); (j) Off mode power demand (Watts); (k) Off mode with WOL enabled power demand (Watts) (where enabled); (l) Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 20% 50% 100% Average								
(h) Sleep mode power demand (Watts); (i) Sleep mode with WOL enabled power demand (Watts) (where enabled); (j) Off mode power demand (Watts); (k) Off mode with WOL enabled power demand (Watts) (where enabled); (k) Off mode with WOL enabled power demand (Watts) (where enabled); (l) Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 20% 50% 100% Average								
i) Sleep mode with WOL enabled power demand (Watts) (where enabled); j) Off mode power demand (Watts); k) Off mode with WOL enabled power demand (Watts) (where enabled); l) Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 20% 50% 100% Average	0.48							
j) Off mode power demand (Watts); k) Off mode with WOL enabled power demand (Watts) (where enabled); I) Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 20% 50% 100% Average	0.48							
k) Off mode with WOL enabled power demand (Watts) (where enabled); I) Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 20% 50% 100% Average	0.48							
Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 20% 50% 100% Average	0.29							
10% 20% 50% 100% Average	0.29							
·····								
m) External power supply efficiency (if applicable)*:								
Average active efficiency: 65W: 91.49%, 90.15%, 91.49%, 91.15%								
*internal note: show values for all available external power supplies (o) Minimum number of loading cycles that the batteries can withstand (applies only to notebook computer								
Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 300CYCLES								

(p-2)	Measurement metho	dology used to determine information mentioned in p EN 50563:2011 measurement methodo			
(p-3)	Measurement metho	dology used to determine information mentioned in p EN 50563:2011 measurement methodo			
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration: <i>EN</i> 626			
(q)	Sequence of steps for achieving a stable condition with respect to power demand:: Power on → Wait 5 minutes → Stable condition				
(r)	Description of how s Stable condition	eep and/or off mode was selected or programmed: F	Power on → Wait 5 minutes →		
(s)	off mode:	required to reach the mode where the equipment au	, , , , , , , , , , , , , , , , , , , ,		
(t)	Duration of idle sta	er to power management, 5 mins automatically re te condition before the computer automatically re not exceed the applicable power demand requirement	eaches sleep mode, or another	5	
(u)	Length of time after	r a period of user inactivity in which the compute ver power demand requirement than sleep mode (ir	r automatically reaches a power	NA	
(v)		re the display sleep mode is set to activate after		5	
(w)	Information on the er	nergy-saving potential of power management functio	nality:		
	User informatior	described in User Guide and Power Manager un programs	nder Lenovo Vantage menu in all		
(x)	User information on	now to enable the power management functionality:			
	User informatior	described in User Guide and Power Manager un programs	nder Lenovo Vantage menu in all		
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in sting.			
		230V, 50GHz, Total Harmonic Distortion	n <2 %		
Additior	al Notebook Batter	v Information:			
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾			
Internal/	built-in Battery				
	/detachable Battery				
Bios Bao	ckup Battery	\boxtimes			
Other:					
Addition	al information		•	•	
) he battervlies	s] in this product cannot be e	asily replaced by users themselves.			
кумулаторна	ата[ите] батерия[и] в този п	родукт не може да се замени[ят] лесно от самите потребител er sustituidas fácilmente por los propios usuarios.	пи.		
ýměnu bateri	ie/baterií v tomto výrobku by	teriet/batterierne i dette produkt.			
er Akku/die A	Akkus dieses Produkts kann/	können nicht ohne weiteres vom Benutzer selbst ausgetauscht v	verden.		
μπαταρία[-εα		ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες			
orisnik ne mo	ože lako zamijeniti Bateriju sa		ux-memes.		
etotāji paši n	evar nomainīt šā ražojuma a				
termék akku		elhasználó nem tudja egyedül egyszerűen kicserélni.			
	eriji f'dan il-prodott ma tistax i dette produktet kan ikke let	jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. t erstattes av brukerne selv.			
e batterij(en)	in dit product is (zijn) door d	e gebruiker niet gemakkelijk vervangbaar. wymienić baterii w tym produkcie.			
ou as bateria	as deste produto não podem	e (pot) fi uşor înlocuită (înlocuite) de utilizatorii înșiși.			
atériu(-ie) v te	omto výrobku nemôže vymie	ňať používateľ.			
ämän tuottee	n akku [akut] ei[vät] ole help				
	ælt för kunden att själv byta u atarya(lar) kullanıcılar tarafır				